Page:

Run Date:

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age (3,	4)	
		Anemia Low Hb/Hct %			Anemia Low Hb/Hct %
	Number	70		Number	70
White, Not Hispanic			Asian		
6 - 11 Months	10	*	6 - 11 Months	13	*
12 - 17 Months	36	*	12 - 17 Months	48	*
18 - 23 Months	8	*	18 - 23 Months	21	*
24 - 35 Months	37	*	24 - 35 Months	47	*
36 - 59 Months	97	*	36 - 59 Months	279	20.1
Total	188	13.8	Total	408	19.1
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	65	*	6 - 11 Months	1	*
12 - 17 Months	190	12.1	12 - 17 Months	4	*
18 - 23 Months	83	*	18 - 23 Months	3	*
24 - 35 Months	144	16.7	24 - 35 Months	4	*
36 - 59 Months	334	15.3	36 - 59 Months	20	*
Total	816	14.3	Total	32	*
Hispanic			Filipino		
6 - 11 Months	102	19.6	6 - 11 Months	10	*
12 - 17 Months	442	12.7	12 - 17 Months	13	*
18 - 23 Months	191	11.0	18 - 23 Months	1	*
24 - 35 Months	385	13.0	24 - 35 Months	10	*
36 - 59 Months	1,459	13.2	36 - 59 Months	18	*
Total	2,579	13.2	Total	52	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	141	14.9
12 - 17 Months	1	*	12 - 17 Months	156	10.9
18 - 23 Months	0	*	18 - 23 Months	73	*
24 - 35 Months	3	*	24 - 35 Months	171	14.6
36 - 59 Months	5	*	36 - 59 Months	430	13.0
Total	10	*	Total	971	13.6



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Alameda

Page:


Run Date:

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	343	16.9
12 - 17 Months	890	12.5
18 - 23 Months	380	11.6
24 - 35 Months	801	14.2
36 - 59 Months	2,642	14.2
Total	5,056	13.9

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 3 Run Date: 4 / 4 / 12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %	, , , ,	Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	2	*	24 - 35 Months	1	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	4	*	Total	1	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	1	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	5	*	12 - 17 Months	0	*
18 - 23 Months	4	*	18 - 23 Months	0	*
24 - 35 Months	8	*	24 - 35 Months	0	*
36 - 59 Months	12	*	36 - 59 Months	0	*
Total	32	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	1	*
12 - 17 Months	0	*	12 - 17 Months	2	*
18 - 23 Months	0	*	18 - 23 Months	1	*
24 - 35 Months	0	*	24 - 35 Months	3	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	1 7	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Alpine

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 4 | 4 | 12 | Run Date: 4 | 4 | 4 | 12

	Anemia I	ndicators
		Anemia Low Hb/Hct
	Number	%
Total All Race/Ethnic Groups		
6 - 11 Months	6	*
12 - 17 Months	8	*
18 - 23 Months	5	*
24 - 35 Months	14	*
36 - 59 Months	12	*
Total	45	*

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 5 Run Date: 4 / 4 / 12

	A a! a .!		y Pace/Ethnicity and Λαο (3,4	)	
	Anemia	naicators	by Race/Ethnicity and Age (3, 4	,	
		Anemia			Anemia
	Nivershaan	Low Hb/Hct %		Nivershaan	Low Hb/Hct %
	Number	/0		Number	/0
White, Not Hispanic			Asian		
6 - 11 Months	2	*	6 - 11 Months	1	*
12 - 17 Months	4	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	6	*	24 - 35 Months	0	*
36 - 59 Months	16	*	36 - 59 Months	2	*
Total	30	*	Total	3	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	3	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	10	*	12 - 17 Months	0	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	11	*	24 - 35 Months	0	*
36 - 59 Months	13	*	36 - 59 Months	0	*
Total	39	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	5	*
12 - 17 Months	0	*	12 - 17 Months	1	*
18 - 23 Months	0	*	18 - 23 Months	8	*
24 - 35 Months	1	*	24 - 35 Months	3	*
36 - 59 Months	2	*	36 - 59 Months	10	*
Total	3	*	Total	27	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Amador** 

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

County: 003

Page:

Run Date:

	Anemia	Indicators	d Age (3, 4)
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups			
6 - 11 Months	10	*	
12 - 17 Months	16	*	
18 - 23 Months	13	*	
24 - 35 Months	22	*	
36 - 59 Months	44	*	
Total	105	14.3	

State: California

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 7 Run Date: 4 / 4 / 12

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	585	19.5	6 - 11 Months	79	*
12 - 17 Months	581	14.8	12 - 17 Months	105	9.5
18 - 23 Months	267	13.9	18 - 23 Months	39	*
24 - 35 Months	625	12.6	24 - 35 Months	65	*
36 - 59 Months	1,196	9.5	36 - 59 Months	163	12.9
Total	3,254	13.2	Total	451	13.5
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	34	*	6 - 11 Months	3	*
12 - 17 Months	49	*	12 - 17 Months	5	*
18 - 23 Months	22	*	18 - 23 Months	0	*
24 - 35 Months	47	*	24 - 35 Months	5	*
36 - 59 Months	116	12.1	36 - 59 Months	5	*
Total	268	15.7	Total	18	*
Hispanic			Filipino		
6 - 11 Months	115	20.0	6 - 11 Months	2	*
12 - 17 Months	139	13.7	12 - 17 Months	1	*
18 - 23 Months	96	*	18 - 23 Months	0	*
24 - 35 Months	188	8.0	24 - 35 Months	2	*
36 - 59 Months	388	5.4	36 - 59 Months	4	*
Total	926	9.6	Total	9	*
American Indian/Alaska Native			All Other		
6 - 11 Months	25	*	6 - 11 Months	129	26.4
12 - 17 Months	28	*	12 - 17 Months	133	16.5
18 - 23 Months	9	*	18 - 23 Months	46	*
24 - 35 Months	27	*	24 - 35 Months	147	16.3
36 - 59 Months	45	*	36 - 59 Months	284	9.5
Total	134	4.5	Total	739	16.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 8 Run Date: 4 / 4 / 12

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups	070	40.7
6 - 11 Months 12 - 17 Months	972 1.041	19.7 14.5
18 - 23 Months	479	14.6
24 - 35 Months	1,106	12.6
36 - 59 Months	2,201	9.0
Total	5,799	12.9

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 9 Run Date: 4 / 4 / 12

	A	l al!a a £ aa	by Race/Ethnicity and Age (3, 4)		
	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	13	*	6 - 11 Months	3	*
12 - 17 Months	18	*	12 - 17 Months	4	*
18 - 23 Months	7	*	18 - 23 Months	2	*
24 - 35 Months	25	*	24 - 35 Months	2	*
36 - 59 Months	36	*	36 - 59 Months	17	*
Total	99	*	Total	28	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	4	*	36 - 59 Months	0	*
Total	9	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	31	*	6 - 11 Months	0	*
12 - 17 Months	35	*	12 - 17 Months	0	*
18 - 23 Months	17	*	18 - 23 Months	0	*
24 - 35 Months	58	*	24 - 35 Months	0	*
36 - 59 Months	132	4.5	36 - 59 Months	0	*
Total	273	7.3	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	50	*
12 - 17 Months	1	*	12 - 17 Months	40	*
18 - 23 Months	1	*	18 - 23 Months	23	*
24 - 35 Months	0	*	24 - 35 Months	51	*
36 - 59 Months	1	*	36 - 59 Months	143	16.8
Total	3	*	Total	307	16.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Calaveras

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 10 Run Date: 4 / 4 / 12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	99	*
12 - 17 Months	98	*
18 - 23 Months	51	*
24 - 35 Months	138	10.1
36 - 59 Months	333	10.5
Total	719	12.0

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### Table 17B

### 2010 Pediatric Nutrition Surveillance (1) City Of Berkeley

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 059

Page:

Run Date:

11

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age <sup>(3,</sup>	4)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	2	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	2	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	14	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	6	*	24 - 35 Months	0	*
36 - 59 Months	9	*	36 - 59 Months	0	*
Total	34	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	2	*
12 - 17 Months	0	*	12 - 17 Months	1	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	5	*
Total	0	*	Total	8	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### Table 17B

## **2010 Pediatric Nutrition Surveillance** (1)


City Of Berkeley

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 12 4/4/12 Run Date:

	Anemia I	ndicators	and Age (3, 4)		
		Anemia Low Hb/Hct			
	Number	%	l N	Number	
otal All Race/Ethnic Groups			•		
6 - 11 Months	7	*			
12 - 17 Months	15	*			
18 - 23 Months	3	*			
24 - 35 Months	7	*			
36 - 59 Months	14	*			
otal	46	*			

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 13 Run Date: 4 / 4 / 12

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3, 4</sup>	4)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	15	*	6 - 11 Months	2	*
12 - 17 Months	7	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	2	*	24 - 35 Months	1	*
36 - 59 Months	13	*	36 - 59 Months	0	*
Total	38	*	Total	3	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	10	*	36 - 59 Months	0	*
Total	13	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	111	36.0	6 - 11 Months	0	*
12 - 17 Months	107	28.0	12 - 17 Months	0	*
18 - 23 Months	28	*	18 - 23 Months	0	*
24 - 35 Months	28	*	24 - 35 Months	0	*
36 - 59 Months	188	13.3	36 - 59 Months	1	*
Total	462	22.3	Total	1	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	9	*
12 - 17 Months	1	*	12 - 17 Months	18	*
18 - 23 Months	0	*	18 - 23 Months	7	*
24 - 35 Months	1	*	24 - 35 Months	10	*
36 - 59 Months	2	*	36 - 59 Months	60	*
Total	4	*	Total	104	15.4



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:


Run Date:

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
	Number	Anemia Low Hb/Hct %					
Total All Race/Ethnic Groups							
6 - 11 Months	138	31.2					
12 - 17 Months	134	25.4					
18 - 23 Months	36	*					
24 - 35 Months	43	*					
36 - 59 Months	274	14.2					
Total	625	20.3					

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### Contra Costa

Page:


Run Date:

15 4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	48	*	6 - 11 Months	l 6	*
12 - 17 Months	35	*	12 - 17 Months	9	*
18 - 23 Months	15	*	18 - 23 Months	0	*
24 - 35 Months	43	*	24 - 35 Months	7	*
36 - 59 Months	65	*	36 - 59 Months	18	*
Total	206	10.2	Total	40	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	30	*	6 - 11 Months	3	*
12 - 17 Months	48	*	12 - 17 Months	2	*
18 - 23 Months	16	*	18 - 23 Months	0	*
24 - 35 Months	41	*	24 - 35 Months	2	*
36 - 59 Months	105	13.3	36 - 59 Months	9	*
Total	240	12.1	Total	16	*
Hispanic			Filipino		
6 - 11 Months	235	21.3	6 - 11 Months	10	*
12 - 17 Months	265	14.0	12 - 17 Months	3	*
18 - 23 Months	66	*	18 - 23 Months	1	*
24 - 35 Months	284	7.0	24 - 35 Months	10	*
36 - 59 Months	602	6.5	36 - 59 Months	7	*
Total	1,452	10.7	Total	31	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	68	*
12 - 17 Months	0	*	12 - 17 Months	54	*
18 - 23 Months	0	*	18 - 23 Months	21	*
24 - 35 Months	0	*	24 - 35 Months	39	*
36 - 59 Months	1	*	36 - 59 Months	101	9.9
Total	1	*	Total	283	13.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

#### Table 17B

## 2010 Pediatric Nutrition Surveillance (1) Contra Costa

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)
State: California County: 007

Page:

Run Date:

16 4 / 4 / 12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	400	19.8
12 - 17 Months	416	14.2
18 - 23 Months	119	9.2
24 - 35 Months	426	7.0
36 - 59 Months	908	8.1
Total	2,269	11.2

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

## Table 17B 2010 Pediatric Nutrition Surveillance Del Norte

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 17 Run Date: 4 / 4 / 12

County: 008

#### **Anemia Indicators by Race/Ethnicity and Age** Anemia Anemia Low Hb/Hct Low Hb/Hct % % Number Number White, Not Hispanic Asian 16 1 6 - 11 Months 6 - 11 Months 38 12 12 - 17 Months 12 - 17 Months 14 4 18 - 23 Months 18 - 23 Months 9 47 24 - 35 Months 24 - 35 Months 12 119 7.6 36 - 59 Months 36 - 59 Months Total 234 7.7 Total 38 Black, Not Hispanic Pacific Islander 0 0 6 - 11 Months 6 - 11 Months 0 0 12 - 17 Months 12 - 17 Months 0 0 18 - 23 Months 18 - 23 Months 0 0 24 - 35 Months 24 - 35 Months 0 0 36 - 59 Months 36 - 59 Months Total 0 Total 0 Filipino Hispanic 7 0 6 - 11 Months 6 - 11 Months 13 0 12 - 17 Months 12 - 17 Months 5 0 18 - 23 Months 18 - 23 Months 24 - 35 Months 19 24 - 35 Months 0 40 0 36 - 59 Months 36 - 59 Months 84 0 Total Total All Other American Indian/Alaska Native 1 3 6 - 11 Months 6 - 11 Months 18 4 12 - 17 Months 12 - 17 Months 6 13 18 - 23 Months 18 - 23 Months 18 7 24 - 35 Months 24 - 35 Months 27 7 36 - 59 Months 36 - 59 Months 77 27 Total **Total**

State:

California



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Del Norte

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 18 Run Date: 4 / 4 / 12

	Anemia	Indicators	(3, 4)
		Anemia Low Hb/Hct	
	Number	%	Number
otal All Race/Ethnic Groups			•
6 - 11 Months	28	*	
12 - 17 Months	85	*	
18 - 23 Months	42	*	
24 - 35 Months	100	15.0	
36 - 59 Months	205	5.9	
otal	460	8.5	

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

19

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Niverban	Anemia Low Hb/Hct %		Normale	Anemia Low Hb/Hct %
	Number	/0		Number	/0
White, Not Hispanic			Asian		
6 - 11 Months	121	15.7	6 - 11 Months	1	*
12 - 17 Months	90	*	12 - 17 Months	2	*
18 - 23 Months	20	*	18 - 23 Months	1	*
24 - 35 Months	96	*	24 - 35 Months	1	*
36 - 59 Months	208	9.1	36 - 59 Months	1	*
Total	535	11.2	Total	6	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
Total	6	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	112	17.0	6 - 11 Months	1	*
12 - 17 Months	128	14.8	12 - 17 Months	1	*
18 - 23 Months	30	*	18 - 23 Months	0	*
24 - 35 Months	96	*	24 - 35 Months	0	*
36 - 59 Months	223	9.4	36 - 59 Months	1	*
Total	589	11.7	Total	3	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	69	*
12 - 17 Months	0	*	12 - 17 Months	38	*
18 - 23 Months	0	*	18 - 23 Months	6	*
24 - 35 Months	1	*	24 - 35 Months	41	*
36 - 59 Months	0	*	36 - 59 Months	77	*
Total	2	*	Total	231	14.3



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### Table 17B

## 2010 Pediatric Nutrition Surveillance (1)

Page:

Run Date:

20

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	)	Race/Ethnicity and Age (3, 4)	
	Number	Anemia Low Hb/Hct %	Number		
otal All Race/Ethnic Groups					
6 - 11 Months	306	17.3			
12 - 17 Months	260	11.2			
18 - 23 Months	58	*			
24 - 35 Months	236	9.7			
36 - 59 Months	512	10.4			
otal	1,372	12.1			

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

21

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	A		by Race/Ethnicity and Age (3,4	1)	
	Anemia	indicators	by Race/Ethnicity and Age (3, 2	·	
		Anemia			Anemia
	l	Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	621	22.9	6 - 11 Months	88	*
12 - 17 Months	671	12.7	12 - 17 Months	119	17.6
18 - 23 Months	279	15.1	18 - 23 Months	42	*
24 - 35 Months	543	12.3	24 - 35 Months	87	*
36 - 59 Months	1,109	11.4	36 - 59 Months	208	21.2
Total	3,223	14.3	Total	544	21.3
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	287	23.3	6 - 11 Months	21	*
12 - 17 Months	268	16.0	12 - 17 Months	14	*
18 - 23 Months	144	18.8	18 - 23 Months	4	*
24 - 35 Months	296	24.0	24 - 35 Months	16	*
36 - 59 Months	565	14.5	36 - 59 Months	35	*
Total	1,560	18.6	Total	90	*
Hispanic			Filipino		
6 - 11 Months	3,836	21.9	6 - 11 Months	3	*
12 - 17 Months	4,232	15.5	12 - 17 Months	3	*
18 - 23 Months	2,031	14.9	18 - 23 Months	1	*
24 - 35 Months	4,048	15.1	24 - 35 Months	3	*
36 - 59 Months	8,084	10.4	36 - 59 Months	3	*
Total	22,231	14.6	Total	13	*
American Indian/Alaska Native			All Other		
6 - 11 Months	16	*	6 - 11 Months	638	20.2
12 - 17 Months	28	*	12 - 17 Months	606	12.0
18 - 23 Months	15	*	18 - 23 Months	326	13.5
24 - 35 Months	30	*	24 - 35 Months	575	17.7
36 - 59 Months	53	*	36 - 59 Months	1,255	12.6
Total	142	7.0	Total	3,400	14.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 010

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
	Number	Anemia Low Hb/Hct %					
Total All Race/Ethnic Groups	Trainibol						
6 - 11 Months	5,510	21.9					
12 - 17 Months	5,941	14.9					
18 - 23 Months	2,842	15.0					
24 - 35 Months	5,598	15.7					
36 - 59 Months	11,312	11.1					
Total	31,203	14.9					

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





22

<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 011

Page:

Run Date:

23

4/4/12

Γ					
	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3, 4</sup>	)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	52	*	6 - 11 Months	0	*
12 - 17 Months	78	*	12 - 17 Months	3	*
18 - 23 Months	30	*	18 - 23 Months	0	*
24 - 35 Months	50	*	24 - 35 Months	2	*
36 - 59 Months	112	8.0	36 - 59 Months	9	*
Total	322	17.4	Total	14	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	3	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	109	31.2	6 - 11 Months	0	*
12 - 17 Months	139	20.1	12 - 17 Months	0	*
18 - 23 Months	78	*	18 - 23 Months	0	*
24 - 35 Months	104	21.2	24 - 35 Months	0	*
36 - 59 Months	211	16.6	36 - 59 Months	0	*
Total	641	21.1	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	3	*	6 - 11 Months	34	*
12 - 17 Months	4	*	12 - 17 Months	44	*
18 - 23 Months	0	*	18 - 23 Months	13	*
24 - 35 Months	3	*	24 - 35 Months	28	*
36 - 59 Months	1	*	36 - 59 Months	41	*
Total	11	*	Total	160	18.8

State: California



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

rition Surveillance (1) Run Date:

Page:


24

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
	Number	Anemia Low Hb/Hct %				
Total All Race/Ethnic Groups						
6 - 11 Months	198	31.3				
12 - 17 Months	268	20.1				
18 - 23 Months	121	20.7				
24 - 35 Months	189	18.5				
36 - 59 Months	375	13.6				
Total	1,151	19.7				

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 25 Run Date: 4 / 4 / 12

	Anemia l	ndicators	y Race/Ethnicity and Age (3, 4	+)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	175	24.0	6 - 11 Months	0	*
12 - 17 Months	142	24.6	12 - 17 Months	1	*
18 - 23 Months	47	*	18 - 23 Months	1	*
24 - 35 Months	114	21.9	24 - 35 Months	6	*
36 - 59 Months	188	12.8	36 - 59 Months	10	*
Total	666	20.0	Total	18	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	5	*	6 - 11 Months	0	*
12 - 17 Months	2	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	1	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	5	*	36 - 59 Months	0	*
Total	14	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	48	*	6 - 11 Months	1	*
12 - 17 Months	29	*	12 - 17 Months	1	*
18 - 23 Months	22	*	18 - 23 Months	0	*
24 - 35 Months	51	*	24 - 35 Months	0	*
36 - 59 Months	80	*	36 - 59 Months	0	*
Total	230	16.5	Total	2	*
American Indian/Alaska Native			All Other		
6 - 11 Months	10	*	6 - 11 Months	152	11.2
12 - 17 Months	39	*	12 - 17 Months	139	12.2
18 - 23 Months	17	*	18 - 23 Months	62	*
24 - 35 Months	44	*	24 - 35 Months	145	9.7
36 - 59 Months	66	*	36 - 59 Months	262	5.3
Total	176	16.5	Total	760	8.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Humboldt

Page:


Run Date:

26 4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	391	19.2
12 - 17 Months	353	20.1
18 - 23 Months	150	12.7
24 - 35 Months	362	15.5
36 - 59 Months	611	8.3
Total	1,867	14.6

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)
County: 013

Page:

Run Date:

27

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	13	*	6 - 11 Months	1	*
12 - 17 Months	13	*	12 - 17 Months	0	*
18 - 23 Months	4	*	18 - 23 Months	1	*
24 - 35 Months	12	*	24 - 35 Months	0	*
36 - 59 Months	33	*	36 - 59 Months	1	*
Total	75	*	Total	3	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	3	*	6 - 11 Months	1	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	11	*	36 - 59 Months	0	*
Total	21	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	852	7.7	6 - 11 Months	0	*
12 - 17 Months	1,010	4.8	12 - 17 Months	1	*
18 - 23 Months	290	6.6	18 - 23 Months	0	*
24 - 35 Months	1,128	5.7	24 - 35 Months	0	*
36 - 59 Months	2,202	3.6	36 - 59 Months	1	*
Total	5,482	5.0	Total	2	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	23	*
12 - 17 Months	0	*	12 - 17 Months	18	*
18 - 23 Months	0	*	18 - 23 Months	6	*
24 - 35 Months	2	*	24 - 35 Months	38	*
36 - 59 Months	2	*	36 - 59 Months	58	*
Total	5	*	Total	143	6.3

State: California



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Imperial

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years <sup>(2)</sup>
County: 013

Page:

Run Date:

28

4/4/12

	Anemia Ir	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	894 1.045	7.5 4.7
12 - 17 Months 18 - 23 Months	303	6.6
24 - 35 Months	1,182	5.8
36 - 59 Months	2,308	3.8
Total	5,732	5.1

State: California

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 29 Run Date: 4 / 4 / 12

	Anemia l	ndicators	by Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White Not Hieronia	Harriber		Asian	Tallibei	
White, Not Hispanic	1	*	Asian C. 44 Mantha	0	*
6 - 11 Months	3	*	6 - 11 Months		*
12 - 17 Months	0	*	12 - 17 Months		*
18 - 23 Months	1 0	*	18 - 23 Months		*
24 - 35 Months	1 4	*	24 - 35 Months		*
36 - 59 Months	'		36 - 59 Months	"	
Total	9	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
Total	4	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	10	*	6 - 11 Months	0	*
12 - 17 Months	8	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	7	*	24 - 35 Months	0	*
36 - 59 Months	24	*	36 - 59 Months	1	*
Total	51	*	Total	1	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	3	*
Total	1	*	Total	3	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Inyo

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)
County: 014

Page:

Run Date:


30

4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	12	*
12 - 17 Months	13	*
18 - 23 Months	2	*
24 - 35 Months	11	*
36 - 59 Months	31	*
Total	69	*

State: California

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

31 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age <sup>(3, 4</sup>	<b>+</b> )	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	220	15.0	6 - 11 Months	10	*
12 - 17 Months	266	7.9	12 - 17 Months	6	*
18 - 23 Months	109	17.4	18 - 23 Months	2	*
24 - 35 Months	294	10.9	24 - 35 Months	8	*
36 - 59 Months	585	9.1	36 - 59 Months	17	*
Total	1,474	10.7	Total	43	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	78	*	6 - 11 Months	4	*
12 - 17 Months	90	*	12 - 17 Months	5	*
18 - 23 Months	44	*	18 - 23 Months	2	*
24 - 35 Months	132	25.0	24 - 35 Months	4	*
36 - 59 Months	252	19.8	36 - 59 Months	11	*
Total	596	23.5	Total	26	*
Hispanic			Filipino		
6 - 11 Months	1,525	16.8	6 - 11 Months	0	*
12 - 17 Months	1,640	12.0	12 - 17 Months	3	*
18 - 23 Months	726	12.8	18 - 23 Months	1	*
24 - 35 Months	1,784	11.8	24 - 35 Months	9	*
36 - 59 Months	4,158	9.6	36 - 59 Months	7	*
Total	9,833	11.7	Total	20	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	109	15.6
12 - 17 Months	2	*	12 - 17 Months	126	10.3
18 - 23 Months	0	*	18 - 23 Months	77	*
24 - 35 Months	2	*	24 - 35 Months	244	17.6
36 - 59 Months	5	*	36 - 59 Months	352	8.8
Total	9	*	Total	908	12.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age

Page:

Run Date:

32

4/4/12

Children Aged < 5 Years (2)
State: California County: 015

	Anemia	Indicators
		Anemia Low Hb/Hct
	Number	%
Total All Race/Ethnic Groups		
6 - 11 Months	1,946	17.2
12 - 17 Months	2,138	11.9
18 - 23 Months	961	14.2
24 - 35 Months	2,477	13.1
36 - 59 Months	5,387	10.0
Total	12,909	12.3

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

33

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anomia	Indicators	ov Race/Ethnicity and Age (3,4	4)	
	Anemia		by Race/Ethnicity and Age (3, 4	-,	
		Anemia			Anemia
	1	Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	44	*	6 - 11 Months	1	*
12 - 17 Months	45	*	12 - 17 Months	1	*
18 - 23 Months	22	*	18 - 23 Months	1	*
24 - 35 Months	42	*	24 - 35 Months	1	*
36 - 59 Months	65	*	36 - 59 Months	6	*
Total	218	20.2	Total	10	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	10	*	6 - 11 Months	0	*
12 - 17 Months	17	*	12 - 17 Months	0	*
18 - 23 Months	6	*	18 - 23 Months	0	*
24 - 35 Months	11	*	24 - 35 Months	0	*
36 - 59 Months	36	*	36 - 59 Months	2	*
Total	80	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	383	23.5	6 - 11 Months	0	*
12 - 17 Months	520	25.6	12 - 17 Months	0	*
18 - 23 Months	225	22.2	18 - 23 Months	0	*
24 - 35 Months	447	25.3	24 - 35 Months	0	*
36 - 59 Months	811	15.2	36 - 59 Months	3	*
Total	2,386	21.3	Total	3	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	67	*
12 - 17 Months	2	*	12 - 17 Months	140	15.7
18 - 23 Months	1	*	18 - 23 Months	62	*
24 - 35 Months	2	*	24 - 35 Months	108	25.9
36 - 59 Months	6	*	36 - 59 Months	207	19.3
Total	12	*	Total	584	20.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Kings
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 34 Run Date: 4 / 4 / 12

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	506	23.9
12 - 17 Months	725	23.7
18 - 23 Months	317	22.1
24 - 35 Months	611	25.2
36 - 59 Months	1,136	15.8
Total	3,295	21.1

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

35

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)	)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	19	*	6 - 11 Months	20	*
12 - 17 Months	23	*	12 - 17 Months	26	*
18 - 23 Months	7	*	18 - 23 Months	10	*
24 - 35 Months	32	*	24 - 35 Months	41	*
36 - 59 Months	54	*	36 - 59 Months	89	*
Total	135	12.6	Total	186	13.4
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	15	*	6 - 11 Months	0	*
12 - 17 Months	20	*	12 - 17 Months	1	*
18 - 23 Months	7	*	18 - 23 Months	1	*
24 - 35 Months	20	*	24 - 35 Months	2	*
36 - 59 Months	61	*	36 - 59 Months	1	*
Total	123	20.3	Total	5	*
Hispanic			Filipino		
6 - 11 Months	1,324	18.9	6 - 11 Months	6	*
12 - 17 Months	1,624	14.8	12 - 17 Months	6	*
18 - 23 Months	822	16.4	18 - 23 Months	4	*
24 - 35 Months	2,031	17.8	24 - 35 Months	6	*
36 - 59 Months	4,491	10.0	36 - 59 Months	16	*
Total	10,292	13.9	Total	38	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	100	23.0
12 - 17 Months	0	*	12 - 17 Months	117	16.2
18 - 23 Months	0	*	18 - 23 Months	38	*
24 - 35 Months	2	*	24 - 35 Months	111	16.2
36 - 59 Months	2	*	36 - 59 Months	216	10.2
Total	4	*	Total	582	15.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 36 Run Date: 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	1,484	19.6
12 - 17 Months	1,817	14.9
18 - 23 Months	889	16.6
24 - 35 Months	2,245	17.6
36 - 59 Months	4,930	10.1
Total	11,365	14.1

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)
County: 094

Page:


Run Date:

37

4/4/12

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
		Anemia			Anemia
		Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	53	*	6 - 11 Months	1	*
12 - 17 Months	40	*	12 - 17 Months	6	*
18 - 23 Months	16	*	18 - 23 Months	0	*
24 - 35 Months	62	*	24 - 35 Months	2	*
36 - 59 Months	122	14.8	36 - 59 Months	14	*
Total	293	13.0	Total	23	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	19	*	6 - 11 Months	1	*
12 - 17 Months	37	*	12 - 17 Months	0	*
18 - 23 Months	8	*	18 - 23 Months	0	*
24 - 35 Months	42	*	24 - 35 Months	1	*
36 - 59 Months	107	20.6	36 - 59 Months	4	*
Total	213	17.4	Total	6	*
Hispanic			Filipino		
6 - 11 Months	378	16.7	6 - 11 Months	4	*
12 - 17 Months	516	12.6	12 - 17 Months	3	*
18 - 23 Months	283	12.4	18 - 23 Months	1	*
24 - 35 Months	639	12.2	24 - 35 Months	3	*
36 - 59 Months	1,736	10.1	36 - 59 Months	4	*
Total	3,552	11.7	Total	15	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	70	*
12 - 17 Months	0	*	12 - 17 Months	72	*
18 - 23 Months	0	*	18 - 23 Months	37	*
24 - 35 Months	0	*	24 - 35 Months	82	*
36 - 59 Months	3	*	36 - 59 Months	200	16.0
Total	3	*	Total	461	16.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

L.A. North

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2) County: 094

Page:

Run Date:

38

4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
otal All Race/Ethnic Groups		
6 - 11 Months	526	16.5
12 - 17 Months	674	13.1
18 - 23 Months	345	11.0
24 - 35 Months	831	13.2
36 - 59 Months	2,190	11.5
Гotal	4,566	12.6

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3,	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
1000	Number	70		Number	70
White, Not Hispanic			Asian		
6 - 11 Months	492	12.8	6 - 11 Months	222	23.4
12 - 17 Months	413	13.3	12 - 17 Months	270	9.6
18 - 23 Months	174	9.8	18 - 23 Months	120	7.5
24 - 35 Months	522	12.5	24 - 35 Months	311	14.5
36 - 59 Months	970	8.6	36 - 59 Months	626	8.3
Total	2,571	11.0	Total	1,549	11.9
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	671	24.4	6 - 11 Months	50	*
12 - 17 Months	985	19.3	12 - 17 Months	69	*
18 - 23 Months	479	23.6	18 - 23 Months	26	*
24 - 35 Months	1,048	22.8	24 - 35 Months	63	*
36 - 59 Months	2,089	17.3	36 - 59 Months	170	6.5
Total	5,272	20.2	Total	378	10.8
Hispanic			Filipino		
6 - 11 Months	10,788	18.5	6 - 11 Months	37	*
12 - 17 Months	13,455	15.0	12 - 17 Months	34	*
18 - 23 Months	6,126	13.5	18 - 23 Months	13	*
24 - 35 Months	15,415	13.6	24 - 35 Months	36	*
36 - 59 Months	31,686	8.6	36 - 59 Months	75	*
Total	77,470	12.5	Total	195	13.3
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	620	21.8
12 - 17 Months	6	*	12 - 17 Months	743	15.7
18 - 23 Months	2	*	18 - 23 Months	322	17.4
24 - 35 Months	6	*	24 - 35 Months	831	14.2
36 - 59 Months	14	*	36 - 59 Months	1,709	12.2
Total	30	*	Total	4,225	15.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

L.A. Other
Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)
County: 097

Page:

Run Date:

40

4/4/12

	Anemia I	ndicators
		Anemia Low Hb/Hct
	Number	%
Total All Race/Ethnic Groups		
6 - 11 Months	12,882	18.8
12 - 17 Months	15,975	15.1
18 - 23 Months	7,262	14.1
24 - 35 Months	18,232	14.2
36 - 59 Months	37,339	9.3
Total	91,690	13.0

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

L.A. South

Page:


Run Date:

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3,	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	6	*	6 - 11 Months	9	*
12 - 17 Months	11	*	12 - 17 Months	4	*
18 - 23 Months	7	*	18 - 23 Months	1	*
24 - 35 Months	18	*	24 - 35 Months	15	*
36 - 59 Months	44	*	36 - 59 Months	32	*
Total	86	*	Total	61	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	118	33.9	6 - 11 Months	1	*
12 - 17 Months	126	26.2	12 - 17 Months	7	*
18 - 23 Months	61	*	18 - 23 Months	4	*
24 - 35 Months	138	23.9	24 - 35 Months	6	*
36 - 59 Months	293	21.2	36 - 59 Months	8	*
Total	736	25.0	Total	26	*
Hispanic			Filipino		
6 - 11 Months	1,231	21.6	6 - 11 Months	9	*
12 - 17 Months	1,494	16.1	12 - 17 Months	9	*
18 - 23 Months	789	12.9	18 - 23 Months	3	*
24 - 35 Months	1,867	14.3	24 - 35 Months	8	*
36 - 59 Months	3,929	9.4	36 - 59 Months	17	*
Total	9,310	13.4	Total	46	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	65	*
12 - 17 Months	2	*	12 - 17 Months	79	*
18 - 23 Months	0	*	18 - 23 Months	30	*
24 - 35 Months	1	*	24 - 35 Months	92	*
36 - 59 Months	3	*	36 - 59 Months	158	10.1
Total	6	*	Total	424	12.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### Table 17B

#### 2010 Pediatric Nutrition Surveillance (1) L.A. South

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 096

Page:

Run Date:

42

4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	1,439	22.1
12 - 17 Months	1,732	16.7
18 - 23 Months	895	14.1
24 - 35 Months	2,145	15.1
36 - 59 Months	4,484	10.3
Total	10,695	14.2

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 43 Run Date: 4 / 4 / 12

r					
	Anemia	Indicators	y Race/Ethnicity and Age (3, 4	)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic	1100000		Asian	110000	
6 - 11 Months	2	*	6 - 11 Months	2	*
12 - 17 Months	4	*	12 - 17 Months	0	*
18 - 23 Months		*	18 - 23 Months	0	*
24 - 35 Months	9	*	24 - 35 Months	2	*
36 - 59 Months	17	*	36 - 59 Months	9	*
Total	33	*	Total	13	*
	33			13	
Black, Not Hispanic	25	*	Pacific Islander		*
6 - 11 Months	25 26	*	6 - 11 Months	1	*
12 - 17 Months		*	12 - 17 Months	2	*
18 - 23 Months	14 43	*	18 - 23 Months	0	*
24 - 35 Months	74	*	24 - 35 Months	1	*
36 - 59 Months	1		36 - 59 Months	2	
Total	182	12.6	Total	6	*
Hispanic			Filipino		
6 - 11 Months	63	*	6 - 11 Months	0	*
12 - 17 Months	132	8.3	12 - 17 Months	1	*
18 - 23 Months	59	*	18 - 23 Months	0	*
24 - 35 Months	124	13.7	24 - 35 Months	1	*
36 - 59 Months	339	6.8	36 - 59 Months	6	*
Total	717	9.8	Total	8	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	8	*
12 - 17 Months	0	*	12 - 17 Months	8	*
18 - 23 Months	0	*	18 - 23 Months	3	*
24 - 35 Months	0	*	24 - 35 Months	7	*
36 - 59 Months	0	*	36 - 59 Months	12	*
Total	lo	*	Total	38	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

L.A. West

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: Run Date: 4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	101	16.8
12 - 17 Months	173	8.7
18 - 23 Months	77	*
24 - 35 Months	187	13.9
36 - 59 Months	459	7.2
Total	997	10.4

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Children Aged < 5 Years (2)
County: 017

Page:

Run Date:

45

4/4/12

<u></u>					
	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)	)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	21	*	6 - 11 Months	0	*
12 - 17 Months	60	*	12 - 17 Months	0	*
18 - 23 Months	23	*	18 - 23 Months	0	*
24 - 35 Months	52	*	24 - 35 Months	0	*
36 - 59 Months	80	*	36 - 59 Months	1	*
Total	236	13.1	Total	1	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	2	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	6	*	36 - 59 Months	0	*
Total	10	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	14	*	6 - 11 Months	0	*
12 - 17 Months	45	*	12 - 17 Months	0	*
18 - 23 Months	15	*	18 - 23 Months	0	*
24 - 35 Months	30	*	24 - 35 Months	0	*
36 - 59 Months	61	*	36 - 59 Months	1	*
Total	165	7.3	Total	1	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	27	*
12 - 17 Months	5	*	12 - 17 Months	37	*
18 - 23 Months	1	*	18 - 23 Months	8	*
24 - 35 Months	1	*	24 - 35 Months	37	*
36 - 59 Months	8	*	36 - 59 Months	62	*
Total	15	*	Total	171	17.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 46 Run Date: 4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	62	*
12 - 17 Months	149	15.4
18 - 23 Months	48	*
24 - 35 Months	121	8.3
36 - 59 Months	219	12.8
Total	599	12.7

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

47

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

<u></u>					
	Anemia l	ndicators	y Race/Ethnicity and Age (3,	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	14	*	6 - 11 Months	0	*
12 - 17 Months	43	*	12 - 17 Months	0	*
18 - 23 Months	4	*	18 - 23 Months	Ö	*
24 - 35 Months	30	*	24 - 35 Months	0	*
36 - 59 Months	86	*	36 - 59 Months	0	*
Total	177	10.2	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	l 1	*	6 - 11 Months	l o	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	1	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	1	*
Total	7	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	10	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	10	*	24 - 35 Months	0	*
36 - 59 Months	22	*	36 - 59 Months	0	*
Total	47	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	2	*	12 - 17 Months	4	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	4	*
36 - 59 Months	4	*	36 - 59 Months	5	*
Total	6	*	Total	13	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 48 Run Date: 4 / 4 / 12

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	18	*
12 - 17 Months	60	*
18 - 23 Months	8	*
24 - 35 Months	46	*
36 - 59 Months	120	3.3
Total	252	8.7

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

4/4/12

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

			y Race/Ethnicity and Δαο (3,	4)	
	Anemia	Indicators	y Race/Ethnicity and Age (3,	<del></del>	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	13	*	6 - 11 Months	17	*
12 - 17 Months	9	*	12 - 17 Months	18	*
18 - 23 Months	5	*	18 - 23 Months	9	*
24 - 35 Months	12	*	24 - 35 Months	16	*
36 - 59 Months	29	*	36 - 59 Months	21	*
Total	68	*	Total	81	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	67	*	6 - 11 Months	8	*
12 - 17 Months	55	*	12 - 17 Months	2	*
18 - 23 Months	36	*	18 - 23 Months	3	*
24 - 35 Months	71	*	24 - 35 Months	7	*
36 - 59 Months	137	22.6	36 - 59 Months	10	*
Total	366	23.2	Total	30	*
Hispanic			Filipino		
6 - 11 Months	231	17.3	6 - 11 Months	4	*
12 - 17 Months	224	14.3	12 - 17 Months	10	*
18 - 23 Months	117	12.8	18 - 23 Months	0	*
24 - 35 Months	202	17.3	24 - 35 Months	7	*
36 - 59 Months	494	11.3	36 - 59 Months	10	*
Total	1,268	14.0	Total	31	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	124	9.7
12 - 17 Months	1	*	12 - 17 Months	93	*
18 - 23 Months	0	*	18 - 23 Months	48	*
24 - 35 Months	0	*	24 - 35 Months	123	13.8
36 - 59 Months	0	*	36 - 59 Months	238	10.1
Total	3	*	Total	626	10.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### Table 17B

#### 2010 Pediatric Nutrition Surveillance (1) Long Beach

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 062

Page:

Run Date:

50

4/4/12

Anemia Indicators by Race/Ethnicity and Age (3, 4)								
	Number	Anemia Low Hb/Hct %				1	Number	Anemia Low Hb/Ho %
Total All Race/Ethnic Groups								
6 - 11 Months	466	17.6						
12 - 17 Months	412	14.6						
18 - 23 Months	218	15.6						
24 - 35 Months	438	16.0						
36 - 59 Months	939	12.7						
Total	2,473	14.8						

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 51 Run Date: 4 / 4 / 12

<b></b>					
	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3, 4</sup>	<b>!</b> )	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	95	*	6 - 11 Months	1	*
12 - 17 Months	83	*	12 - 17 Months	0	*
18 - 23 Months	36	*	18 - 23 Months	1	*
24 - 35 Months	61	*	24 - 35 Months	0	*
36 - 59 Months	160	11.3	36 - 59 Months	3	*
Total	435	14.5	Total	5	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	9	*	6 - 11 Months	0	*
12 - 17 Months	8	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	7	*	24 - 35 Months	0	*
36 - 59 Months	15	*	36 - 59 Months	1	*
Total	41	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	933	22.9	6 - 11 Months	0	*
12 - 17 Months	1,126	16.2	12 - 17 Months	0	*
18 - 23 Months	449	12.7	18 - 23 Months	0	*
24 - 35 Months	1,137	16.5	24 - 35 Months	0	*
36 - 59 Months	2,368	11.9	36 - 59 Months	1	*
Total	6,013	15.3	Total	1	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	36	*
12 - 17 Months	9	*	12 - 17 Months	59	*
18 - 23 Months	2	*	18 - 23 Months	20	*
24 - 35 Months	10	*	24 - 35 Months	41	*
36 - 59 Months	12	*	36 - 59 Months	96	*
Total	34	*	Total	252	15.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:

52

4/4/12

Madera

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
	Number	Anemia Low Hb/Hct %					
otal All Race/Ethnic Groups							
6 - 11 Months 12 - 17 Months	1,075 1,285	22.8 15.9					
18 - 23 Months	510 1,256	12.7 16.2					
24 - 35 Months 36 - 59 Months	2,656	11.8					
<b>Total</b>	6,782	15.2					

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 53 Run Date: 4 / 4 / 12

County: 021

#### **Anemia Indicators by Race/Ethnicity and Age** Anemia Anemia Low Hb/Hct Low Hb/Hct % % Number Number White, Not Hispanic Asian 4 3 6 - 11 Months 6 - 11 Months 26 5 12 - 17 Months 12 - 17 Months 2 10 18 - 23 Months 18 - 23 Months 21 4 24 - 35 Months 24 - 35 Months 24 13 36 - 59 Months 36 - 59 Months 85 Total Total 27 Black, Not Hispanic Pacific Islander 1 0 6 - 11 Months 6 - 11 Months 6 2 12 - 17 Months 12 - 17 Months 3 0 18 - 23 Months 18 - 23 Months 5 1 24 - 35 Months 24 - 35 Months 12 3 36 - 59 Months 36 - 59 Months Total 27 Total 6 Filipino Hispanic 51 0 6 - 11 Months 6 - 11 Months 203 7.9 0 12 - 17 Months 12 - 17 Months 156 7.7 0 18 - 23 Months 18 - 23 Months 24 - 35 Months 275 6.2 24 - 35 Months 0 506 4.5 0 36 - 59 Months 36 - 59 Months 1,191 6.1 0 Total Total All Other American Indian/Alaska Native 0 105 18.1 6 - 11 Months 6 - 11 Months 0 222 11.3 12 - 17 Months 12 - 17 Months 0 26 18 - 23 Months 18 - 23 Months 0 53 24 - 35 Months 24 - 35 Months 53 36 - 59 Months 36 - 59 Months 459 12.4 Total **Total**

State:

California



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date:


54

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Number	Anemia Low Hb/Hct %			
Total All Race/Ethnic Groups					
6 - 11 Months	164	15.2			
12 - 17 Months	464	10.3			
18 - 23 Months	197	8.1			
24 - 35 Months	359	6.7			
36 - 59 Months	612	5.2			
Total	1,796	8.1			

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

55

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)								
	Anemia		y Race/Ethnicity and Age	, ¬,				
		Anemia			Anemia			
		Low Hb/Hct		l	Low Hb/Hct			
	Number	%		Number	%			
White, Not Hispanic			Asian					
6 - 11 Months	13	*	6 - 11 Months	0	*			
12 - 17 Months	12	*	12 - 17 Months	0	*			
18 - 23 Months	9	*	18 - 23 Months	0	*			
24 - 35 Months	11	*	24 - 35 Months	0	*			
36 - 59 Months	24	*	36 - 59 Months	0	*			
Total	69	*	Total	0	*			
Black, Not Hispanic			Pacific Islander					
6 - 11 Months	0	*	6 - 11 Months	0	*			
12 - 17 Months	0	*	12 - 17 Months	0	*			
18 - 23 Months	0	*	18 - 23 Months	0	*			
24 - 35 Months	0	*	24 - 35 Months	0	*			
36 - 59 Months	0	*	36 - 59 Months	0	*			
Total	0	*	Total	0	*			
Hispanic			Filipino					
6 - 11 Months	6	*	6 - 11 Months	0	*			
12 - 17 Months	2	*	12 - 17 Months	0	*			
18 - 23 Months	0	*	18 - 23 Months	0	*			
24 - 35 Months	3	*	24 - 35 Months	0	*			
36 - 59 Months	6	*	36 - 59 Months	0	*			
Total	17	*	Total	0	*			
American Indian/Alaska Native			All Other					
6 - 11 Months	1	*	6 - 11 Months	2	*			
12 - 17 Months	0	*	12 - 17 Months	0	*			
18 - 23 Months	0	*	18 - 23 Months	0	*			
24 - 35 Months	0	*	24 - 35 Months	3	*			
36 - 59 Months	1	*	36 - 59 Months	2	*			
Total	2	*	Total	7	*			



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Mariposa

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 56 Run Date: 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct				
	Number	%	Number			
otal All Race/Ethnic Groups			•			
6 - 11 Months	22	*				
12 - 17 Months	14	*				
18 - 23 Months	9	*				
24 - 35 Months	17	*				
36 - 59 Months	33	*				
otal	95	*				

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Mendocino

Page:

Run Date:


57

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	9	*	6 - 11 Months	0	*
12 - 17 Months	21	*	12 - 17 Months	0	*
18 - 23 Months	9	*	18 - 23 Months	1	*
24 - 35 Months	24	*	24 - 35 Months	1	*
36 - 59 Months	32	*	36 - 59 Months	0	*
Total	95	*	Total	2	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
Total	3	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	6	*	6 - 11 Months	0	*
12 - 17 Months	29	*	12 - 17 Months	0	*
18 - 23 Months	10	*	18 - 23 Months	0	*
24 - 35 Months	27	*	24 - 35 Months	0	*
36 - 59 Months	61	*	36 - 59 Months	0	*
Total	133	12.0	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	7	*	6 - 11 Months	115	18.3
12 - 17 Months	7	*	12 - 17 Months	43	*
18 - 23 Months	6	*	18 - 23 Months	22	*
24 - 35 Months	9	*	24 - 35 Months	78	*
36 - 59 Months	23	*	36 - 59 Months	132	18.2
Total	52	*	Total	390	19.2

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Mendocino

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 58 Run Date: 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age (3, 4)						
		Anemia Low Hb/Hct				
	Number	%				
Total All Race/Ethnic Groups						
6 - 11 Months	137	16.8				
12 - 17 Months	100	22.0				
18 - 23 Months	48	*				
24 - 35 Months	140	20.0				
36 - 59 Months	250	12.0				
Гotal	675	16.4				

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

59

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian	110111001	
6 - 11 Months	279	17.6	6 - 11 Months	19	*
12 - 17 Months	287	18.8	12 - 17 Months	32	*
18 - 23 Months	149	24.2	18 - 23 Months	3	*
24 - 35 Months	182	19.2	24 - 35 Months	21	*
36 - 59 Months	412	17.0	36 - 59 Months	23	*
Total	1,309	18.6	Total	98	*
Black, Not Hispanic	1,000		Pacific Islander		
6 - 11 Months	18	*	6 - 11 Months	3	*
12 - 17 Months	19	*	12 - 17 Months	4	*
18 - 23 Months	6	*	18 - 23 Months	4	*
24 - 35 Months	18	*	24 - 35 Months	3	*
36 - 59 Months	33	*	36 - 59 Months	3	*
Total	94	*	Total	17	*
Hispanic			Filipino		
6 - 11 Months	183	23.0	6 - 11 Months	1	*
12 - 17 Months	233	21.5	12 - 17 Months	0	*
18 - 23 Months	84	*	18 - 23 Months	0	*
24 - 35 Months	169	15.4	24 - 35 Months	0	*
36 - 59 Months	369	11.7	36 - 59 Months	1	*
Total	1,038	16.7	Total	2	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	65	*
12 - 17 Months	3	*	12 - 17 Months	108	14.8
18 - 23 Months	2	*	18 - 23 Months	12	*
24 - 35 Months	0	*	24 - 35 Months	52	*
36 - 59 Months	7	*	36 - 59 Months	60	*
Total	12	*	Total	297	16.8



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 60 Run Date: 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Anemia Indicators by Race/Ethnicity and Age (3, 4)							
	Number	Anemia Low Hb/Hct %					
Total All Race/Ethnic Groups							
6 - 11 Months	568	19.2					
12 - 17 Months	686	20.0					
18 - 23 Months	260	19.6					
24 - 35 Months	445	17.3					
36 - 59 Months	908	15.6					
Total	2,867	18.0					

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 61 Run Date: 4 / 4 / 12

Γ					
	Anemia l	ndicators	by Race/Ethnicity and Age (3,	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	7	*	6 - 11 Months	0	*
12 - 17 Months	19	*	12 - 17 Months	l ŏ	*
18 - 23 Months	5	*	18 - 23 Months	l o	*
24 - 35 Months	13	*	24 - 35 Months	l o	*
36 - 59 Months	28	*	36 - 59 Months	l o	*
Total	72	*	Total	٥	*
	12			U	
Black, Not Hispanic		*	Pacific Islander		*
6 - 11 Months	0		6 - 11 Months	0	
12 - 17 Months	0		12 - 17 Months	0	
18 - 23 Months	0		18 - 23 Months	0	
24 - 35 Months	0		24 - 35 Months	0	
36 - 59 Months	1		36 - 59 Months	0	
Total	1	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	6	*	12 - 17 Months	0	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	10	*	24 - 35 Months	0	*
36 - 59 Months	21	*	36 - 59 Months	0	*
Total	43	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	2	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	1	*
Total	2	*	Total	3	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Modoc

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2) County: 025

Page:


Run Date:

62

4/4/12

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	11	*
12 - 17 Months	26	*
18 - 23 Months	10	*
24 - 35 Months	23	*
36 - 59 Months	51	*
Total	121	5.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:


63

4/4/12

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

				4)	
	Anemia	Indicators	oy Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
1000	Number	70		Number	70
White, Not Hispanic	_		Asian		
6 - 11 Months	7	· •	6 - 11 Months	0	·
12 - 17 Months	8	*	12 - 17 Months	0	*
18 - 23 Months	0		18 - 23 Months	0	
24 - 35 Months	1	•	24 - 35 Months	0	•
36 - 59 Months	4	*	36 - 59 Months	0	*
Total	20	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	43	*	6 - 11 Months	0	*
12 - 17 Months	32	*	12 - 17 Months	0	*
18 - 23 Months	11	*	18 - 23 Months	0	*
24 - 35 Months	26	*	24 - 35 Months	0	*
36 - 59 Months	54	*	36 - 59 Months	0	*
Total	166	10.8	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	2	*
12 - 17 Months	0	*	12 - 17 Months	1	*
18 - 23 Months	0	*	18 - 23 Months	1	*
24 - 35 Months	0	*	24 - 35 Months	1	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	1	*	Total	5	*

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age

Page: Run Date: 4/4/12

Children Aged < 5 Years (2) County: 026

	Anemia l	ndicators	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups			
6 - 11 Months	53	*	
12 - 17 Months	41	*	
18 - 23 Months	12	*	
24 - 35 Months	28	*	
36 - 59 Months	58	*	
Гotal	192	11.5	

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 65 Run Date: 4 / 4 / 12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	21	*	6 - 11 Months	3	*
12 - 17 Months	24	*	12 - 17 Months	8	*
18 - 23 Months	4	*	18 - 23 Months	3	*
24 - 35 Months	20	*	24 - 35 Months	5	*
36 - 59 Months	24	*	36 - 59 Months	4	*
Total	93	*	Total	23	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	6	*	6 - 11 Months	1	*
12 - 17 Months	10	*	12 - 17 Months	2	*
18 - 23 Months	6	*	18 - 23 Months	2	*
24 - 35 Months	6	*	24 - 35 Months	2	*
36 - 59 Months	3	*	36 - 59 Months	2	*
Total	31	*	Total	9	*
Hispanic			Filipino		
6 - 11 Months	922	18.9	6 - 11 Months	2	*
12 - 17 Months	1,260	12.7	12 - 17 Months	5	*
18 - 23 Months	571	12.4	18 - 23 Months	0	*
24 - 35 Months	798	11.2	24 - 35 Months	0	*
36 - 59 Months	870	7.9	36 - 59 Months	0	*
Total	4,421	12.7	Total	7	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	45	*
12 - 17 Months	1	*	12 - 17 Months	34	*
18 - 23 Months	0	*	18 - 23 Months	14	*
24 - 35 Months	1	*	24 - 35 Months	34	*
36 - 59 Months	1	*	36 - 59 Months	49	*
Total	4	*	Total	176	10.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Monterey

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 027

Page:


Run Date:

66

4/4/12

	Anemia	Indicators
	Niverbar	Anemia Low Hb/Hct %
Total All Dage/Etheric Consum	Number	70
Total All Race/Ethnic Groups 6 - 11 Months	1.001	18.1
12 - 17 Months	1,344	12.5
18 - 23 Months	600	12.3
24 - 35 Months	866	11.2
36 - 59 Months	953	8.0
Total	4,764	12.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years <sup>(2)</sup>
County: 028

Page:

Run Date:

67

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4	)	
	Niverbor	Anemia Low Hb/Hct %		Nivershau	Anemia Low Hb/Hct %
	Number	70		Number	70
White, Not Hispanic			Asian		
6 - 11 Months	14	*	6 - 11 Months	2	*
12 - 17 Months	8	*	12 - 17 Months	1	*
18 - 23 Months	6	*	18 - 23 Months	1	*
24 - 35 Months	7	*	24 - 35 Months	0	*
36 - 59 Months	13	*	36 - 59 Months	0	*
Total	48	*	Total	4	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	4	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	1	*
Total	7	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	112	25.9	6 - 11 Months	0	*
12 - 17 Months	94	*	12 - 17 Months	0	*
18 - 23 Months	43	*	18 - 23 Months	1	*
24 - 35 Months	50	*	24 - 35 Months	1	*
36 - 59 Months	125	18.4	36 - 59 Months	1	*
Total	424	21.0	Total	3	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	259	28.2
12 - 17 Months	0	*	12 - 17 Months	173	24.9
18 - 23 Months	0	*	18 - 23 Months	133	30.1
24 - 35 Months	2	*	24 - 35 Months	143	26.6
36 - 59 Months	1	*	36 - 59 Months	253	23.3
Total	3	*	Total	961	26.3



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page:

Run Date:

68

4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	388	26.8
12 - 17 Months	276	23.2
18 - 23 Months	186	29.6
24 - 35 Months	207	23.2
36 - 59 Months	394	21.3
Total	1,451	24.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page:

Run Date:

69

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	126	13.5	6 - 11 Months	1	*
12 - 17 Months	70	*	12 - 17 Months	0	*
18 - 23 Months	36	*	18 - 23 Months	0	*
24 - 35 Months	89	*	24 - 35 Months	2	*
36 - 59 Months	208	4.3	36 - 59 Months	0	*
Total	529	9.3	Total	3	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
Total	5	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	43	*	6 - 11 Months	0	*
12 - 17 Months	31	*	12 - 17 Months	0	*
18 - 23 Months	7	*	18 - 23 Months	0	*
24 - 35 Months	33	*	24 - 35 Months	0	*
36 - 59 Months	64	*	36 - 59 Months	0	*
Total	178	13.5	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	16	*
12 - 17 Months	0	*	12 - 17 Months	12	*
18 - 23 Months	0	*	18 - 23 Months	3	*
24 - 35 Months	0	*	24 - 35 Months	24	*
36 - 59 Months	0	*	36 - 59 Months	27	*
Total	0	*	Total	82	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Nevada

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 70 Run Date: 4/4/12

County: 029

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	187	15.5
12 - 17 Months	114	13.2
18 - 23 Months	46	*
24 - 35 Months	149	10.7
36 - 59 Months	301	4.7
Total	797	9.9

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

71

4/4/12

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4	)	
		Anemia			Anemia
		Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	289	13.8	6 - 11 Months	311	17.0
12 - 17 Months	289	11.8	12 - 17 Months	253	14.2
18 - 23 Months	127	6.3	18 - 23 Months	127	10.2
24 - 35 Months	313	11.8	24 - 35 Months	374	9.4
36 - 59 Months	583	7.0	36 - 59 Months	827	10.5
Total	1,601	10.0	Total	1,892	11.8
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	44	*	6 - 11 Months	8	*
12 - 17 Months	43	*	12 - 17 Months	6	*
18 - 23 Months	23	*	18 - 23 Months	4	*
24 - 35 Months	51	*	24 - 35 Months	6	*
36 - 59 Months	112	12.5	36 - 59 Months	27	*
Total	273	15.8	Total	51	*
Hispanic			Filipino		
6 - 11 Months	5,235	16.3	6 - 11 Months	9	*
12 - 17 Months	5,201	14.5	12 - 17 Months	19	*
18 - 23 Months	2,359	13.1	18 - 23 Months	12	*
24 - 35 Months	6,428	13.5	24 - 35 Months	18	*
36 - 59 Months	14,199	8.3	36 - 59 Months	51	*
Total	33,422	11.9	Total	109	11.0
American Indian/Alaska Native			All Other		
6 - 11 Months	3	*	6 - 11 Months	1,135	18.7
12 - 17 Months	6	*	12 - 17 Months	1,127	17.0
18 - 23 Months	2	*	18 - 23 Months	376	15.2
24 - 35 Months	5	*	24 - 35 Months	1,191	14.6
36 - 59 Months	11	*	36 - 59 Months	2,566	12.6
Total	27	*	Total	6,395	15.0



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.


<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 72 Run Date: 4 / 4 / 12

County: 030

	Anemia	Indicators
		Anemia Low Hb/Hct
	Number	%
Total All Race/Ethnic Groups		
6 - 11 Months	7,034	16.7
12 - 17 Months	6,944	14.8
18 - 23 Months	3,030	13.0
24 - 35 Months	8,386	13.5
36 - 59 Months	18,376	9.0
Total	43,770	12.3

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:


73

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4	)	
		Anemia			Anemia
		Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	0	*	6 - 11 Months	1	*
12 - 17 Months	1	*	12 - 17 Months	1	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	4	*	24 - 35 Months	1	*
36 - 59 Months	5	*	36 - 59 Months	0	*
Total	10	*	Total	3	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	6	*	6 - 11 Months	0	*
12 - 17 Months	9	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	13	*	24 - 35 Months	0	*
36 - 59 Months	12	*	36 - 59 Months	0	*
Total	41	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	56	*	6 - 11 Months	0	*
12 - 17 Months	61	*	12 - 17 Months	0	*
18 - 23 Months	15	*	18 - 23 Months	0	*
24 - 35 Months	56	*	24 - 35 Months	0	*
36 - 59 Months	69	*	36 - 59 Months	0	*
Total	257	14.8	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	8	*
12 - 17 Months	0	*	12 - 17 Months	11	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	7	*
36 - 59 Months	0	*	36 - 59 Months	24	*
Total	0	*	Total	50	*

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### 2010 Pediatric Nutrition Surveillance (1) Pasadena

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 063

Page:

Run Date:

74

4/4/12

	Anemia I	ndicators		ce/Ethnicity and Age (3, 4)	
		Anemia Low Hb/Hct			
	Number	%	Number		
otal All Race/Ethnic Groups			•		
6 - 11 Months	71	*			
12 - 17 Months	83	*			
18 - 23 Months	16	*			
24 - 35 Months	81	*			
36 - 59 Months	110	1.8			
otal	361	14.1			

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

75

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White Not Hieronia	Hamber		Asian	Tturnber	
White, Not Hispanic	94	*	Asian	2	*
6 - 11 Months	127	11.8	6 - 11 Months	1	*
12 - 17 Months	38	11.0	12 - 17 Months	0	*
18 - 23 Months	112	12.4	18 - 23 Months	2	*
24 - 35 Months	204	13.4 5.4	24 - 35 Months	0	*
36 - 59 Months			36 - 59 Months	-	
Total	575	10.1	Total	5	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	4	*	24 - 35 Months	0	*
36 - 59 Months	5	*	36 - 59 Months	0	*
Total	14	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	104	20.2	6 - 11 Months	1	*
12 - 17 Months	119	16.8	12 - 17 Months	0	*
18 - 23 Months	31	*	18 - 23 Months	0	*
24 - 35 Months	145	9.7	24 - 35 Months	1	*
36 - 59 Months	196	10.7	36 - 59 Months	0	*
Total	595	13.1	Total	2	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	176	10.8
12 - 17 Months	0	*	12 - 17 Months	121	6.6
18 - 23 Months	0	*	18 - 23 Months	39	*
24 - 35 Months	0	*	24 - 35 Months	134	14.9
36 - 59 Months	0	*	36 - 59 Months	140	9.3
Total	0	*	Total	610	10.3



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.


**Placer** 

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 76 Run Date: 4/4/12

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	379	13.5
12 - 17 Months	371	11.6
18 - 23 Months	108	10.2
24 - 35 Months	398	12.6
36 - 59 Months	545	8.4
Total	1,801	11.2

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

77

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Г					
	Anemia I	ndicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
	Number	70		Number	70
White, Not Hispanic	_		Asian		
6 - 11 Months	5	*	6 - 11 Months	0	*
12 - 17 Months	8	*	12 - 17 Months	0	*
18 - 23 Months	5	*	18 - 23 Months	0	*
24 - 35 Months	12	*	24 - 35 Months	0	*
36 - 59 Months	28	*	36 - 59 Months	0	*
Total	58	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	4	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	1	*	36 - 59 Months	0	*
Total	7	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	5	*	6 - 11 Months	0	*
12 - 17 Months	11	*	12 - 17 Months	0	*
18 - 23 Months	6	*	18 - 23 Months	0	*
24 - 35 Months	7	*	24 - 35 Months	0	*
36 - 59 Months	24	*	36 - 59 Months	0	*
Total	53	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	21	*
12 - 17 Months	2	*	12 - 17 Months	12	*
18 - 23 Months	0	*	18 - 23 Months	5	*
24 - 35 Months	0	*	24 - 35 Months	15	*
36 - 59 Months	4	*	36 - 59 Months	21	*
Total	6	*	Total	74	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age

Page:

Run Date:

78

4/4/12

Children Aged < 5 Years (2)
State: California County: 032

	Anemia	Indicators
	Necesia	Anemia Low Hb/Hct %
Total All Dago /Ethaic Crowns	Number	70
Total All Race/Ethnic Groups 6 - 11 Months	35	*
12 - 17 Months	33	*
18 - 23 Months	17	*
24 - 35 Months 36 - 59 Months	35 78	*
Total	198	12.6

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 79 Run Date: 4 / 4 / 12

County: 033

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
Milete Niet I II	Number	,,,	Asian	Number	
White, Not Hispanic	054	44.4	Asian	_	
6 - 11 Months	354	14.4	6 - 11 Months	5	· •
12 - 17 Months	350	12.6	12 - 17 Months	11	*
18 - 23 Months	141	14.9	18 - 23 Months	4	*
24 - 35 Months	400	11.5	24 - 35 Months	21	*
36 - 59 Months	892	9.4	36 - 59 Months	27	*
Total	2,137	11.5	Total	68	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	146	21.9	6 - 11 Months	11	*
12 - 17 Months	171	16.4	12 - 17 Months	9	*
18 - 23 Months	54	*	18 - 23 Months	4	*
24 - 35 Months	235	16.6	24 - 35 Months	11	*
36 - 59 Months	448	13.4	36 - 59 Months	28	*
Total	1,054	15.7	Total	63	*
Hispanic			Filipino		
6 - 11 Months	2,758	19.1	6 - 11 Months	9	*
12 - 17 Months	2,887	14.8	12 - 17 Months	14	*
18 - 23 Months	1,281	13.0	18 - 23 Months	3	*
24 - 35 Months	3,510	15.5	24 - 35 Months	10	*
36 - 59 Months	8,132	9.6	36 - 59 Months	24	*
Total	18,568	13.2	Total	60	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	604	14.6
12 - 17 Months	2	*	12 - 17 Months	503	14.5
18 - 23 Months	1	*	18 - 23 Months	163	14.1
24 - 35 Months	11	*	24 - 35 Months	550	12.7
36 - 59 Months	29	*	36 - 59 Months	1,078	9.9
Total	45	*	Total	2,898	12.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Riverside

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2) County: 033

Page:


Run Date:

80

4/4/12

	Anemia l	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	3,889	18.0
12 - 17 Months	3,947	14.6
18 - 23 Months	1,651	13.1
24 - 35 Months	4,748	14.9
36 - 59 Months	10,658	9.8
Total	24,893	13.0

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### **Sacramento**

Page:

Run Date:

81 4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age $^{(3)}$	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	310	18.7	6 - 11 Months	145	10.3
12 - 17 Months	302	21.5	12 - 17 Months	144	16.7
18 - 23 Months	216	13.4	18 - 23 Months	60	*
24 - 35 Months	397	15.6	24 - 35 Months	183	26.2
36 - 59 Months	694	15.4	36 - 59 Months	354	17.2
Total	1,919	16.7	Total	886	17.8
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	333	23.1	6 - 11 Months	17	*
12 - 17 Months	354	26.0	12 - 17 Months	13	*
18 - 23 Months	190	26.3	18 - 23 Months	12	*
24 - 35 Months	436	27.8	24 - 35 Months	14	*
36 - 59 Months	789	24.7	36 - 59 Months	41	*
Total	2,102	25.5	Total	97	*
Hispanic			Filipino		
6 - 11 Months	846	22.5	6 - 11 Months	3	*
12 - 17 Months	805	21.6	12 - 17 Months	1	*
18 - 23 Months	469	18.1	18 - 23 Months	3	*
24 - 35 Months	935	17.6	24 - 35 Months	4	*
36 - 59 Months	2,406	11.6	36 - 59 Months	13	*
Total	5,461	16.3	Total	24	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	983	20.9
12 - 17 Months	3	*	12 - 17 Months	890	20.7
18 - 23 Months	2	*	18 - 23 Months	569	17.2
24 - 35 Months	4	*	24 - 35 Months	936	22.3
36 - 59 Months	8	*	36 - 59 Months	2,077	15.4
Total	19	*	Total	5,455	18.6



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1) Sacramento


Sacramento
Anemia Indicators by Race/Ethnicity and Age

Page: 82 Run Date: 4 / 4 / 12

Children Aged < 5 Years (2)
State: California County: 034

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	2,639	20.8
12 - 17 Months	2,512	21.6
18 - 23 Months	1,521	18.1
24 - 35 Months	2,909	21.0
36 - 59 Months	6,382	15.2
Total	15,963	18.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

83

4/4/12

## San Benito

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3,	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	5	*	6 - 11 Months	1	*
12 - 17 Months	5	*	12 - 17 Months	0	*
18 - 23 Months	2	*	18 - 23 Months	0	*
24 - 35 Months	6	*	24 - 35 Months	0	*
36 - 59 Months	16	*	36 - 59 Months	1	*
Total	34	*	Total	2	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	2	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	3	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	1	*
Total	5	*	Total	3	*
Hispanic			Filipino		
6 - 11 Months	54	*	6 - 11 Months	0	*
12 - 17 Months	71	*	12 - 17 Months	1	*
18 - 23 Months	28	*	18 - 23 Months	0	*
24 - 35 Months	60	*	24 - 35 Months	0	*
36 - 59 Months	145	4.8	36 - 59 Months	0	*
Total	358	9.2	Total	1	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	7	*
12 - 17 Months	0	*	12 - 17 Months	5	*
18 - 23 Months	0	*	18 - 23 Months	1	*
24 - 35 Months	0	*	24 - 35 Months	11	*
36 - 59 Months	1	*	36 - 59 Months	17	*
Total	1	*	Total	41	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1) San Benito

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 84 Run Date: 4 / 4 / 12

County: 035

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	69	*
12 - 17 Months	82	*
18 - 23 Months	31	*
24 - 35 Months	80	*
36 - 59 Months	183	4.4
Total	445	8.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

#### 2010 Pediatric Nutrition Surveillance San Bernardino

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 85 Run Date: 4 / 4 / 12

County: 036

#### **Anemia Indicators by Race/Ethnicity and Age** Anemia Anemia Low Hb/Hct Low Hb/Hct % % Number Number White, Not Hispanic Asian 215 16.7 18 6 - 11 Months 6 - 11 Months 236 13 16.1 12 - 17 Months 12 - 17 Months 6 101 15.8 18 - 23 Months 18 - 23 Months 252 14 9.5 24 - 35 Months 24 - 35 Months 527 37 9.9 36 - 59 Months 36 - 59 Months Total 1,331 12.5 Total 88 Black, Not Hispanic Pacific Islander 175 24.0 6 6 - 11 Months 6 - 11 Months 200 22.0 10 12 - 17 Months 12 - 17 Months 103 21.4 5 18 - 23 Months 18 - 23 Months 244 23.4 11 24 - 35 Months 24 - 35 Months 498 20.1 26 36 - 59 Months 36 - 59 Months Total 1,220 21.7 Total 58 Filipino Hispanic 20.2 1,843 0 6 - 11 Months 6 - 11 Months 2.286 15.3 7 12 - 17 Months 12 - 17 Months 1,188 12.9 5 18 - 23 Months 18 - 23 Months 2 24 - 35 Months 2,706 14.3 24 - 35 Months 17 6.038 9.8 36 - 59 Months 36 - 59 Months 14,061 13.2 31 Total Total All Other American Indian/Alaska Native 322 14.6 6 - 11 Months 4 6 - 11 Months 491 4 11.8 12 - 17 Months 12 - 17 Months 1 225 11.6 18 - 23 Months 18 - 23 Months 3 609 11.8 24 - 35 Months 24 - 35 Months 19 1,178 9.3 36 - 59 Months 36 - 59 Months 31 2,825 11.0 Total **Total**

State:

California



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### **2010 Pediatric Nutrition Surveillance** (1)

San Bernardino

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

County: 036

Page:

Run Date:

86

4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	2,583	19.4
12 - 17 Months	3,247	15.2
18 - 23 Months	1,634	13.3
24 - 35 Months	3,841	14.2
36 - 59 Months	8,340	10.4
Total	19,645	13.4

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 87 Run Date: 4 / 4 / 12

County: 037

-					
	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	1,487	16.5	6 - 11 Months	59	*
12 - 17 Months	1,770	12.9	12 - 17 Months	80	*
18 - 23 Months	899	7.8	18 - 23 Months	46	*
24 - 35 Months	1,737	14.8	24 - 35 Months	90	*
36 - 59 Months	3,764	10.9	36 - 59 Months	178	18.5
Total	9,657	12.5	Total	453	20.1
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	185	14.1	6 - 11 Months	20	*
12 - 17 Months	247	10.9	12 - 17 Months	27	*
18 - 23 Months	141	5.7	18 - 23 Months	6	*
24 - 35 Months	337	25.8	24 - 35 Months	25	*
36 - 59 Months	571	19.6	36 - 59 Months	42	*
Total	1,481	17.6	Total	120	6.7
Hispanic			Filipino		
6 - 11 Months	2,565	16.9	6 - 11 Months	21	*
12 - 17 Months	3,172	9.9	12 - 17 Months	27	*
18 - 23 Months	1,661	10.2	18 - 23 Months	17	*
24 - 35 Months	3,215	16.1	24 - 35 Months	36	*
36 - 59 Months	6,726	12.1	36 - 59 Months	83	*
Total	17,339	13.0	Total	184	14.7
American Indian/Alaska Native			All Other		
6 - 11 Months	7	*	6 - 11 Months	1,408	13.1
12 - 17 Months	10	*	12 - 17 Months	1,379	11.7
18 - 23 Months	7	*	18 - 23 Months	596	8.9
24 - 35 Months	11	*	24 - 35 Months	1,512	22.2
36 - 59 Months	27	*	36 - 59 Months	3,092	16.8
Total	62	*	Total	7,987	15.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1) San Diego

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 88 Run Date: 4 / 4 / 12

County: 037

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	5,752	15.6
12 - 17 Months	6,712	11.3
18 - 23 Months	3,373	9.2
24 - 35 Months	6,963	17.7
36 - 59 Months	14,483	13.1
Total	37,283	13.7

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### San Francisco

Page:

Run Date:

89

4/4/12

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
		Anemia			Anemia
		Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	1	*	6 - 11 Months	80	*
12 - 17 Months	10	*	12 - 17 Months	144	9.0
18 - 23 Months	1	*	18 - 23 Months	33	*
24 - 35 Months	1	*	24 - 35 Months	158	7.0
36 - 59 Months	10	*	36 - 59 Months	240	3.8
Total	23	*	Total	655	5.8
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	3	*	6 - 11 Months	1	*
12 - 17 Months	18	*	12 - 17 Months	1	*
18 - 23 Months	6	*	18 - 23 Months	1	*
24 - 35 Months	9	*	24 - 35 Months	0	*
36 - 59 Months	10	*	36 - 59 Months	3	*
Total	46	*	Total	6	*
Hispanic			Filipino		
6 - 11 Months	29	*	6 - 11 Months	2	*
12 - 17 Months	114	22.8	12 - 17 Months	0	*
18 - 23 Months	33	*	18 - 23 Months	0	*
24 - 35 Months	111	14.4	24 - 35 Months	2	*
36 - 59 Months	175	6.9	36 - 59 Months	2	*
Total	462	13.9	Total	6	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	11	*
12 - 17 Months	1	*	12 - 17 Months	33	*
18 - 23 Months	1	*	18 - 23 Months	18	*
24 - 35 Months	0	*	24 - 35 Months	19	*
36 - 59 Months	0	*	36 - 59 Months	58	*
Total	2	*	Total	139	16.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### **2010 Pediatric Nutrition Surveillance** (1)

Page:

Run Date:

90

4/4/12

#### San Francisco

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia l	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	127	7.1
12 - 17 Months	321	17.1
18 - 23 Months	93	*
24 - 35 Months	300	12.0
36 - 59 Months	498	6.4
Total	1,339	10.6

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### San Joaquin

Page:

Run Date:

91

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	91	*	6 - 11 Months	30	*
12 - 17 Months	135	20.0	12 - 17 Months	59	*
18 - 23 Months	66	*	18 - 23 Months	33	*
24 - 35 Months	128	14.8	24 - 35 Months	54	*
36 - 59 Months	285	10.2	36 - 59 Months	202	8.4
Total	705	13.3	Total	378	11.9
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	33	*	6 - 11 Months	6	*
12 - 17 Months	45	*	12 - 17 Months	8	*
18 - 23 Months	34	*	18 - 23 Months	1	*
24 - 35 Months	48	*	24 - 35 Months	10	*
36 - 59 Months	151	9.9	36 - 59 Months	20	*
Total	311	13.2	Total	45	*
Hispanic			Filipino		
6 - 11 Months	568	21.8	6 - 11 Months	4	*
12 - 17 Months	762	16.9	12 - 17 Months	4	*
18 - 23 Months	313	16.3	18 - 23 Months	2	*
24 - 35 Months	784	18.1	24 - 35 Months	4	*
36 - 59 Months	1,814	8.5	36 - 59 Months	12	*
Total	4,241	14.1	Total	26	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	435	14.0
12 - 17 Months	1	*	12 - 17 Months	618	9.2
18 - 23 Months	0	*	18 - 23 Months	238	10.1
24 - 35 Months	2	*	24 - 35 Months	499	14.4
36 - 59 Months	1	*	36 - 59 Months	906	8.3
Total	6	*	Total	2,696	10.7



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1) San Joaquin

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 92 Run Date: 4 / 4 / 12

	Anemia	Indicators
		Anemia Low Hb/Hct
	Number	%
Total All Race/Ethnic Groups		
6 - 11 Months	1,169	18.5
12 - 17 Months	1,632	14.3
18 - 23 Months	687	13.4
24 - 35 Months	1,529	16.2
36 - 59 Months	3,391	8.6
otal	8,408	12.9

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

#### 2010 Pediatric Nutrition Surveillance (1) San Luis Obispo

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 040

Page:

Run Date:

93

4/4/12

	Anemia	Indicators	Race/Ethnicity and Age (3, 4	)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	39	*	6 - 11 Months	1	*
12 - 17 Months	97	*	12 - 17 Months	0	*
18 - 23 Months	15	*	18 - 23 Months	1	*
24 - 35 Months	23	*	24 - 35 Months	1	*
36 - 59 Months	87	*	36 - 59 Months	1	*
Total	261	15.7	Total	4	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	3	*	6 - 11 Months	1	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	2	*
24 - 35 Months	1	*	24 - 35 Months	0	*
36 - 59 Months	5	*	36 - 59 Months	0	*
Total	11	*	Total	3	*
Hispanic			Filipino		
6 - 11 Months	135	25.2	6 - 11 Months	0	*
12 - 17 Months	167	18.0	12 - 17 Months	0	*
18 - 23 Months	64	*	18 - 23 Months	0	*
24 - 35 Months	95	*	24 - 35 Months	0	*
36 - 59 Months	250	10.0	36 - 59 Months	2	*
Total	711	15.9	Total	2	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	60	*
12 - 17 Months	1	*	12 - 17 Months	63	*
18 - 23 Months	0	*	18 - 23 Months	11	*
24 - 35 Months	0	*	24 - 35 Months	70	*
36 - 59 Months	0	*	36 - 59 Months	106	6.6
Total	1	*	Total	310	15.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1)


San Luis Obispo

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 94 Run Date: 4 / 4 / 12

County: 040

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	239	24.3
12 - 17 Months	329	19.5
18 - 23 Months	94	*
24 - 35 Months	190	14.2
36 - 59 Months	451	9.5
Total	1,303	15.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

95

4/4/12

San Mateo
Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)
State: California County: 041

Anemia Indicators by Race/Ethnicity and Age (3, 4)									
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %				
White, Not Hispanic			Asian						
6 - 11 Months	6	*	6 - 11 Months	4	*				
12 - 17 Months	2	*	12 - 17 Months	Ö	*				
18 - 23 Months	1 1	*	18 - 23 Months	Ö	*				
24 - 35 Months	3	*	24 - 35 Months	2	*				
36 - 59 Months	7	*	36 - 59 Months	6	*				
Total	19	*	Total	12	*				
Black, Not Hispanic	1.0		Pacific Islander	<del>-</del>					
6 - 11 Months	5	*	6 - 11 Months	12	*				
12 - 17 Months	7	*	12 - 17 Months	10	*				
18 - 23 Months	3	*	18 - 23 Months	111	*				
24 - 35 Months	1 11	*	24 - 35 Months	8	*				
	15	*	I	13	*				
36 - 59 Months	i	*	36 - 59 Months						
Total	41		Total	54					
Hispanic			Filipino						
6 - 11 Months	385	13.0	6 - 11 Months	10	*				
12 - 17 Months	337	8.3	12 - 17 Months	6	*				
18 - 23 Months	200	11.5	18 - 23 Months	0	*				
24 - 35 Months	323	9.6	24 - 35 Months	6	*				
36 - 59 Months	539	5.9	36 - 59 Months	12	*				
Total	1,784	9.2	Total	34	*				
American Indian/Alaska Native			All Other						
6 - 11 Months	0	*	6 - 11 Months	262	21.0				
12 - 17 Months	0	*	12 - 17 Months	229	14.4				
18 - 23 Months	1	*	18 - 23 Months	83	*				
24 - 35 Months	0	*	24 - 35 Months	234	10.7				
36 - 59 Months	0	*	36 - 59 Months	483	13.3				
Total	1	*	Total	1,291	14.4				



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1) San Mateo

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 96 Run Date: 4 / 4 / 12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	684	15.4
12 - 17 Months	591	10.7
18 - 23 Months	299	10.7
24 - 35 Months	587	10.2
36 - 59 Months	1,075	9.5
Total	3,236	11.2

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### 2010 Pediatric Nutrition Surveillance (1) Santa Barbara

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years <sup>(2)</sup>
County: 042

Page:

Run Date:

97

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	105	13.3	6 - 11 Months	6	*
12 - 17 Months	105	12.4	12 - 17 Months	10	*
18 - 23 Months	48	*	18 - 23 Months	8	*
24 - 35 Months	118	12.7	24 - 35 Months	8	*
36 - 59 Months	177	6.8	36 - 59 Months	7	*
Total	553	11.0	Total	39	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	17	*	6 - 11 Months	2	*
12 - 17 Months	21	*	12 - 17 Months	0	*
18 - 23 Months	8	*	18 - 23 Months	1	*
24 - 35 Months	20	*	24 - 35 Months	0	*
36 - 59 Months	25	*	36 - 59 Months	2	*
Total	91	*	Total	5	*
Hispanic			Filipino		
6 - 11 Months	1,488	20.8	6 - 11 Months	4	*
12 - 17 Months	1,293	17.0	12 - 17 Months	0	*
18 - 23 Months	566	14.3	18 - 23 Months	2	*
24 - 35 Months	1,401	14.3	24 - 35 Months	3	*
36 - 59 Months	2,688	8.7	36 - 59 Months	4	*
Total	7,436	14.1	Total	13	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	325	18.5
12 - 17 Months	4	*	12 - 17 Months	198	16.7
18 - 23 Months	2	*	18 - 23 Months	76	*
24 - 35 Months	6	*	24 - 35 Months	314	16.9
36 - 59 Months	7	*	36 - 59 Months	564	8.5
Total	21	*	Total	1,477	14.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.


### 2010 Pediatric Nutrition Surveillance (1)

Santa Barbara icators by Race/Ethnicity and A Page: 98 Run Date: 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	1,949	20.1
12 - 17 Months	1,631	16.6
18 - 23 Months	711	15.0
24 - 35 Months	1,870	14.6
36 - 59 Months	3,474	8.6
Total	9,635	13.9

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### Santa Clara

Page:


Run Date:

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3, 4</sup>	·)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	16	*	6 - 11 Months	82	*
12 - 17 Months	19	*	12 - 17 Months	91	*
18 - 23 Months	111	*	18 - 23 Months	55	*
24 - 35 Months	18	*	24 - 35 Months	98	*
36 - 59 Months	31	*	36 - 59 Months	229	13.1
Total	95	*	Total	555	11.4
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	9	*	6 - 11 Months	0	*
12 - 17 Months	5	*	12 - 17 Months	3	*
18 - 23 Months	8	*	18 - 23 Months	1	*
24 - 35 Months	6	*	24 - 35 Months	3	*
36 - 59 Months	19	*	36 - 59 Months	5	*
Total	47	*	Total	12	*
Hispanic			Filipino		
6 - 11 Months	478	19.5	6 - 11 Months	8	*
12 - 17 Months	413	12.8	12 - 17 Months	2	*
18 - 23 Months	294	10.2	18 - 23 Months	0	*
24 - 35 Months	474	8.0	24 - 35 Months	4	*
36 - 59 Months	820	6.8	36 - 59 Months	1	*
Total	2,479	10.9	Total	15	*
American Indian/Alaska Native			All Other		
6 - 11 Months	3	*	6 - 11 Months	726	20.0
12 - 17 Months	7	*	12 - 17 Months	426	15.3
18 - 23 Months	2	*	18 - 23 Months	188	12.8
24 - 35 Months	2	*	24 - 35 Months	780	11.5
36 - 59 Months	11	*	36 - 59 Months	1,353	3.7
Total	25	*	Total	3,473	10.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

### 2010 Pediatric Nutrition Surveillance (1) Santa Clara

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 100 Run Date: 4 / 4 / 12

County: 043

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	1,322	19.1
12 - 17 Months	966 559	13.7 10.7
18 - 23 Months 24 - 35 Months	1,385	10.7
36 - 59 Months	2,469	5.8
Total	6,701	11.0

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Santa Cruz
Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)

County: 044

Page:

Run Date:

101

4/4/12

#### **Anemia Indicators by Race/Ethnicity and Age** Anemia Anemia Low Hb/Hct Low Hb/Hct % % Number Number White, Not Hispanic Asian 18 0 6 - 11 Months 6 - 11 Months 35 2 12 - 17 Months 12 - 17 Months 0 15 18 - 23 Months 18 - 23 Months 23 0 24 - 35 Months 24 - 35 Months 21 1 36 - 59 Months 36 - 59 Months 3 Total 112 6.3 Total Black, Not Hispanic Pacific Islander 1 0 6 - 11 Months 6 - 11 Months 0 0 12 - 17 Months 12 - 17 Months 0 0 18 - 23 Months 18 - 23 Months 1 0 24 - 35 Months 24 - 35 Months 1 0 36 - 59 Months 36 - 59 Months Total 3 Total 0 Filipino Hispanic 146 19.9 0 6 - 11 Months 6 - 11 Months 191 17.8 1 12 - 17 Months 12 - 17 Months 99 0 18 - 23 Months 18 - 23 Months 24 - 35 Months 148 13.5 24 - 35 Months 0 225 6.7 0 36 - 59 Months 36 - 59 Months 1 809 14.2 Total Total All Other American Indian/Alaska Native 0 79 6 - 11 Months 6 - 11 Months 0 24 12 - 17 Months 12 - 17 Months 0 9 18 - 23 Months 18 - 23 Months 0 77 24 - 35 Months 24 - 35 Months 92 36 - 59 Months 36 - 59 Months 281 10.0 Total **Total**

State:

California



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

### 2010 Pediatric Nutrition Surveillance (1) Santa Cruz

Santa Cruz
Anemia Indicators by Race/Ethnicity and Age

Page: 102 Run Date: 4 / 4 / 12

Children Aged < 5 Years (2)
County: 044

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	244	18.9
12 - 17 Months	253	15.4
18 - 23 Months	123	17.1
24 - 35 Months	249	10.8
36 - 59 Months	341	5.3
Total	1,210	12.5

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)
County: 045

Page:

Run Date:

103

4/4/12

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	213	14.1	6 - 11 Months	7	*
12 - 17 Months	310	12.9	12 - 17 Months	12	*
18 - 23 Months	141	8.5	18 - 23 Months	2	*
24 - 35 Months	292	11.3	24 - 35 Months	11	*
36 - 59 Months	543	9.9	36 - 59 Months	23	*
Total	1,499	11.3	Total	55	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	12	*	6 - 11 Months	0	*
12 - 17 Months	10	*	12 - 17 Months	0	*
18 - 23 Months	8	*	18 - 23 Months	0	*
24 - 35 Months	17	*	24 - 35 Months	0	*
36 - 59 Months	21	*	36 - 59 Months	0	*
Total	68	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	34	*	6 - 11 Months	1	*
12 - 17 Months	53	*	12 - 17 Months	4	*
18 - 23 Months	22	*	18 - 23 Months	1	*
24 - 35 Months	55	*	24 - 35 Months	1	*
36 - 59 Months	105	6.7	36 - 59 Months	2	*
Total	269	13.4	Total	9	*
American Indian/Alaska Native			All Other		
6 - 11 Months	13	*	6 - 11 Months	52	*
12 - 17 Months	22	*	12 - 17 Months	50	*
18 - 23 Months	4	*	18 - 23 Months	17	*
24 - 35 Months	24	*	24 - 35 Months	43	*
36 - 59 Months	40	*	36 - 59 Months	107	15.9
Total	103	17.5	Total	269	17.1



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Shasta

Page:

Run Date:

104

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	332	17.2
12 - 17 Months	461	16.1
18 - 23 Months	195	9.7
24 - 35 Months	443	12.9
36 - 59 Months	841	10.8
Total	2,272	13.1

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Sierra

Anemia Indicators by Race/Ethnicity and Age

Page:

Run Date:

105

4/4/12

Children Aged < 5 Years (2)
State: California County: 046

#### **Anemia Indicators by Race/Ethnicity and Age** Anemia Anemia Low Hb/Hct Low Hb/Hct % % Number Number White, Not Hispanic Asian 4 0 6 - 11 Months 6 - 11 Months 3 0 12 - 17 Months 12 - 17 Months 0 18 - 23 Months 18 - 23 Months 3 0 24 - 35 Months 24 - 35 Months 3 0 36 - 59 Months 36 - 59 Months 14 Total Total 0 Black, Not Hispanic Pacific Islander 0 0 6 - 11 Months 6 - 11 Months 0 0 12 - 17 Months 12 - 17 Months 0 0 18 - 23 Months 18 - 23 Months 0 0 24 - 35 Months 24 - 35 Months 0 0 36 - 59 Months 36 - 59 Months Total 0 Total 0 Filipino Hispanic 0 6 - 11 Months 6 - 11 Months 0 12 - 17 Months 12 - 17 Months 0 0 18 - 23 Months 18 - 23 Months 24 - 35 Months 3 24 - 35 Months 0 1 0 36 - 59 Months 36 - 59 Months 5 0 Total Total All Other American Indian/Alaska Native 0 6 - 11 Months 6 - 11 Months 1 0 0 12 - 17 Months 12 - 17 Months 0 0 18 - 23 Months 18 - 23 Months 0 0 24 - 35 Months 24 - 35 Months 0 0 36 - 59 Months 36 - 59 Months 0 Total **Total** 1



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Sierra

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 106 Run Date: 4 / 4 / 12

County: 046

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	6	*
12 - 17 Months	3	*
18 - 23 Months	1	*
24 - 35 Months	6	*
36 - 59 Months	4	*
Total	20	*

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:


107

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	77	*	6 - 11 Months	Ιo	*
12 - 17 Months	86	*	12 - 17 Months	l 1	*
18 - 23 Months	25	*	18 - 23 Months	1	*
24 - 35 Months	97	*	24 - 35 Months	1 1	*
36 - 59 Months	143	16.1	36 - 59 Months	1	*
Total	428	18.7	Total	4	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	4	*	24 - 35 Months	0	*
36 - 59 Months	2	*	36 - 59 Months	0	*
Total	13	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	15	*	6 - 11 Months	0	*
12 - 17 Months	23	*	12 - 17 Months	0	*
18 - 23 Months	9	*	18 - 23 Months	0	*
24 - 35 Months	26	*	24 - 35 Months	0	*
36 - 59 Months	46	*	36 - 59 Months	0	*
Total	119	13.4	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	10	*	6 - 11 Months	14	*
12 - 17 Months	11	*	12 - 17 Months	24	*
18 - 23 Months	4	*	18 - 23 Months	14	*
24 - 35 Months	13	*	24 - 35 Months	18	*
36 - 59 Months	10	*	36 - 59 Months	29	*
Total	48	*	Total	99	*

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.


Siskiyou

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 108 Run Date: 4 / 4 / 12

County: 047

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups 6 - 11 Months	119	26.9
12 - 17 Months	148	16.2
18 - 23 Months 24 - 35 Months	54 159	* 17.0
36 - 59 Months	231	13.9
Total	711	18.3

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:


109

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age (3,	4)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	37	*	6 - 11 Months	8	*
12 - 17 Months	50	*	12 - 17 Months	14	*
18 - 23 Months	19	*	18 - 23 Months	8	*
24 - 35 Months	34	*	24 - 35 Months	3	*
36 - 59 Months	73	*	36 - 59 Months	14	*
Total	213	11.7	Total	47	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	38	*	6 - 11 Months	3	*
12 - 17 Months	37	*	12 - 17 Months	7	*
18 - 23 Months	17	*	18 - 23 Months	2	*
24 - 35 Months	48	*	24 - 35 Months	2	*
36 - 59 Months	91	*	36 - 59 Months	5	*
Total	231	16.9	Total	19	*
Hispanic			Filipino		
6 - 11 Months	147	14.3	6 - 11 Months	4	*
12 - 17 Months	202	11.4	12 - 17 Months	3	*
18 - 23 Months	92	*	18 - 23 Months	0	*
24 - 35 Months	202	7.9	24 - 35 Months	1	*
36 - 59 Months	341	10.0	36 - 59 Months	3	*
Total	984	10.7	Total	11	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	35	*
12 - 17 Months	1	*	12 - 17 Months	72	*
18 - 23 Months	0	*	18 - 23 Months	25	*
24 - 35 Months	1	*	24 - 35 Months	44	*
36 - 59 Months	1	*	36 - 59 Months	92	*
Total	5	*	Total	268	12.3

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age

Children Aged < 5 Years (2)
County: 048

Page:

Run Date:

110

4/4/12

	Anemia	Indicators
		Anemia Low Hb/Hct
	Number	%
Total All Race/Ethnic Groups		
6 - 11 Months	274	16.4
12 - 17 Months	386	11.4
18 - 23 Months	163	12.9
24 - 35 Months	335	10.7
36 - 59 Months	620	10.3
Total	1,778	11.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

State: California County: 049

Page:

Run Date:

111

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age (3,	4)	
	Niversia	Anemia Low Hb/Hct %		Niverbase	Anemia Low Hb/Hct %
	Number	70		Number	70
White, Not Hispanic			Asian		
6 - 11 Months	59	*	6 - 11 Months	0	*
12 - 17 Months	76	*	12 - 17 Months	4	*
18 - 23 Months	24	*	18 - 23 Months	0	*
24 - 35 Months	55	*	24 - 35 Months	1	*
36 - 59 Months	121	12.4	36 - 59 Months	4	*
Total	335	15.2	Total	9	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	6	*	12 - 17 Months	<b> </b> 0	*
18 - 23 Months	2	*	18 - 23 Months	<b>i</b> o	*
24 - 35 Months	5	*	24 - 35 Months	0	*
36 - 59 Months	3	*	36 - 59 Months	1	*
Total	16	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	323	25.4	6 - 11 Months	0	*
12 - 17 Months	380	16.6	12 - 17 Months	3	*
18 - 23 Months	209	20.6	18 - 23 Months	0	*
24 - 35 Months	304	16.1	24 - 35 Months	0	*
36 - 59 Months	674	9.9	36 - 59 Months	3	*
Total	1,890	16.1	Total	6	*
American Indian/Alaska Native			All Other		
6 - 11 Months	4	*	6 - 11 Months	7	*
12 - 17 Months	14	*	12 - 17 Months	10	*
18 - 23 Months	5	*	18 - 23 Months	4	*
24 - 35 Months	3	*	24 - 35 Months	13	*
36 - 59 Months	18	*	36 - 59 Months	28	*
Total	44	*	Total	62	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Sonoma

Page:

Run Date:

112

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	393	26.0
12 - 17 Months	493	17.0
18 - 23 Months	244	20.1
24 - 35 Months	381	15.2
36 - 59 Months	852	10.2
Total	2,363	16.1

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

#### Stanislaus

Page:

Run Date:

113

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
		Anemia Low Hb/Hct %			Anemia Low Hb/Hct
	Number	70		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	679	24.0	6 - 11 Months	21	*
12 - 17 Months	734	22.8	12 - 17 Months	28	*
18 - 23 Months	371	19.9	18 - 23 Months	9	*
24 - 35 Months	746	23.5	24 - 35 Months	28	*
36 - 59 Months	1,807	15.0	36 - 59 Months	65	*
Total	4,337	19.6	Total	151	27.2
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	31	*	6 - 11 Months	17	*
12 - 17 Months	35	*	12 - 17 Months	9	*
18 - 23 Months	25	*	18 - 23 Months	1	*
24 - 35 Months	72	*	24 - 35 Months	12	*
36 - 59 Months	133	20.3	36 - 59 Months	20	*
Total	296	23.6	Total	59	*
Hispanic			Filipino		
6 - 11 Months	604	22.4	6 - 11 Months	0	*
12 - 17 Months	744	17.7	12 - 17 Months	1	*
18 - 23 Months	267	22.5	18 - 23 Months	0	*
24 - 35 Months	855	16.6	24 - 35 Months	2	*
36 - 59 Months	1,811	10.1	36 - 59 Months	0	*
Total	4,281	15.2	Total	3	*
American Indian/Alaska Native			All Other		
6 - 11 Months	4	*	6 - 11 Months	294	21.4
12 - 17 Months	7	*	12 - 17 Months	236	25.4
18 - 23 Months	2	*	18 - 23 Months	72	*
24 - 35 Months	11	*	24 - 35 Months	227	25.1
36 - 59 Months	19	*	36 - 59 Months	404	19.1
Total	43	*	Total	1,233	22.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

#### Table 17B

#### 2010 Pediatric Nutrition Surveillance (1) Stanislaus

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 114 Run Date: 4 / 4 / 12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	1,650	23.3
12 - 17 Months	1,794	21.1
18 - 23 Months	747	21.6
24 - 35 Months	1,953	20.6
36 - 59 Months	4,259	13.7
Total	10,403	18.3

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 115 Run Date: 4 / 4 / 12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4	)	
	l N	Anemia Low Hb/Hct %		N	Anemia Low Hb/Hct %
	Number	70		Number	70
White, Not Hispanic			Asian		
6 - 11 Months	68	*	6 - 11 Months	13	*
12 - 17 Months	67	*	12 - 17 Months	10	*
18 - 23 Months	43	*	18 - 23 Months	3	*
24 - 35 Months	55	*	24 - 35 Months	10	*
36 - 59 Months	168	6.0	36 - 59 Months	21	*
Total	401	9.2	Total	57	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	1	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	6	*	24 - 35 Months	0	*
36 - 59 Months	9	*	36 - 59 Months	0	*
Total	20	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	140	12.1	6 - 11 Months	0	*
12 - 17 Months	115	8.7	12 - 17 Months	0	*
18 - 23 Months	46	*	18 - 23 Months	0	*
24 - 35 Months	150	12.7	24 - 35 Months	0	*
36 - 59 Months	297	8.4	36 - 59 Months	2	*
Total	748	9.8	Total	2	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	33	*
12 - 17 Months	1	*	12 - 17 Months	24	*
18 - 23 Months	0	*	18 - 23 Months	19	*
24 - 35 Months	0	*	24 - 35 Months	28	*
36 - 59 Months	1	*	36 - 59 Months	68	*
Total	3	*	Total	172	10.5



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Sutter

Page:

Run Date:


116

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	256	11.7
12 - 17 Months	221	10.4
18 - 23 Months	112	8.9
24 - 35 Months	249	12.4
36 - 59 Months	566	7.8
otal	1,404	9.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years <sup>(2)</sup>
County: 052

Page:


Run Date:

117

4/4/12

Г					
	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3, 4</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	26	*	6 - 11 Months	0	*
12 - 17 Months	31	*	12 - 17 Months	0	*
18 - 23 Months	13	*	18 - 23 Months	1 1	*
24 - 35 Months	37	*	24 - 35 Months		*
36 - 59 Months	67	*	36 - 59 Months	1	*
Total	174	16.7	Total	3	*
Black, Not Hispanic	174	10.7	Pacific Islander	<del>-   •</del>	
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months		*	12 - 17 Months	l ö	*
18 - 23 Months	Ö	*	18 - 23 Months	0	*
24 - 35 Months	1 1	*	24 - 35 Months	l ö	*
36 - 59 Months		*	36 - 59 Months	2	*
Total	4	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	35	*	6 - 11 Months	1 0	*
12 - 17 Months	34	*	12 - 17 Months	0	*
18 - 23 Months	20	*	18 - 23 Months	0	*
24 - 35 Months	47	*	24 - 35 Months	0	*
36 - 59 Months	107	17.8	36 - 59 Months	0	*
Total	243	25.5	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	112	12.5
12 - 17 Months	1	*	12 - 17 Months	49	*
18 - 23 Months	0	*	18 - 23 Months	30	*
24 - 35 Months	2	*	24 - 35 Months	59	*
36 - 59 Months	5	*	36 - 59 Months	134	6.0
Total	8	*	Total	384	9.6

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page: 118 Run Date: 4 / 4 / 12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 119 Run Date: 4 / 4 / 12

	Δnemia I	ndicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct	y Race/Elimeity and Age	Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	5	*	6 - 11 Months	lo	*
12 - 17 Months	12	*	12 - 17 Months	lo	*
18 - 23 Months	9	*	18 - 23 Months	0	*
24 - 35 Months	8	*	24 - 35 Months	0	*
36 - 59 Months	26	*	36 - 59 Months	0	*
Total	60	*	Total	0	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	0	*	6 - 11 Months	0	*
12 - 17 Months	0	*	12 - 17 Months	l o	*
18 - 23 Months	l 0	*	18 - 23 Months	Ιo	*
24 - 35 Months	0	*	24 - 35 Months	Ιo	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	2	*	6 - 11 Months	lo	*
12 - 17 Months	1 1	*	12 - 17 Months	lo	*
18 - 23 Months	2	*	18 - 23 Months	Ιo	*
24 - 35 Months	2	*	24 - 35 Months	0	*
36 - 59 Months	3	*	36 - 59 Months	0	*
Total	10	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	1	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	1	*
36 - 59 Months	2	*	36 - 59 Months	5	*
Total	3	*	Total	1 7	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 120 Run Date: 4 / 4 / 12

County: 053

	Anemia I	ndicators	
	Number	Anemia Low Hb/Hct %	Number
Total All Race/Ethnic Groups			<u> </u>
6 - 11 Months	8	*	
12 - 17 Months	13	*	
18 - 23 Months	12	*	
24 - 35 Months	11	*	
36 - 59 Months	36	*	
Γotal	80	*	

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

121

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	Race/Ethnicity and Age (3	, 4)	
		Anemia			Anemia
		Low Hb/Hct			Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	179	17.9	6 - 11 Months	42	*
12 - 17 Months	172	18.0	12 - 17 Months	21	*
18 - 23 Months	77	*	18 - 23 Months	18	*
24 - 35 Months	145	23.4	24 - 35 Months	18	*
36 - 59 Months	370	13.5	36 - 59 Months	50	*
Total	943	16.6	Total	149	20.8
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	31	*	6 - 11 Months	3	*
12 - 17 Months	12	*	12 - 17 Months	6	*
18 - 23 Months	14	*	18 - 23 Months	4	*
24 - 35 Months	19	*	24 - 35 Months	8	*
36 - 59 Months	61	*	36 - 59 Months	21	*
Total	137	22.6	Total	42	*
Hispanic			Filipino		
6 - 11 Months	1,633	22.5	6 - 11 Months	2	*
12 - 17 Months	1,887	19.9	12 - 17 Months	4	*
18 - 23 Months	968	17.9	18 - 23 Months	0	*
24 - 35 Months	1,739	19.4	24 - 35 Months	0	*
36 - 59 Months	3,784	10.9	36 - 59 Months	2	*
Total	10,011	16.7	Total	8	*
American Indian/Alaska Native			All Other		
6 - 11 Months	2	*	6 - 11 Months	124	16.9
12 - 17 Months	9	*	12 - 17 Months	141	22.0
18 - 23 Months	3	*	18 - 23 Months	70	*
24 - 35 Months	12	*	24 - 35 Months	113	21.2
36 - 59 Months	32	*	36 - 59 Months	239	16.7
Total	58	*	Total	687	18.3



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.


Tulare
Anemia Indicators by Race/Ethnicity and Age

Page: 122 Run Date: 4 / 4 / 12

Children Aged < 5 Years (2)
County: 054

	Anemia I	ndicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	2,016	21.7
12 - 17 Months	2,252	19.8
18 - 23 Months	1,154	17.8
24 - 35 Months	2,054	19.9
36 - 59 Months	4,559	11.5
Total	12,035	16.8

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:


123

4/4/12

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

				<b>A</b>	
	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic	rtambol		Asian	T tarribor	
6 - 11 Months	9	*	6 - 11 Months	0	*
12 - 17 Months	16	*	12 - 17 Months	l ĭ	*
18 - 23 Months	8	*	18 - 23 Months	Ιċ	*
24 - 35 Months	24	*	24 - 35 Months	l o	*
36 - 59 Months	40	*	36 - 59 Months		*
Total	97	*	Total	2	*
Black, Not Hispanic			Pacific Islander	<del>-</del>	
6 - 11 Months	0	*	6 - 11 Months	l o	*
12 - 17 Months	0	*	12 - 17 Months	0	*
18 - 23 Months	l o	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	0	*
36 - 59 Months	0	*	36 - 59 Months	0	*
Total	0	*	Total	0	*
Hispanic			Filipino		
6 - 11 Months	3	*	6 - 11 Months	0	*
12 - 17 Months	1	*	12 - 17 Months	0	*
18 - 23 Months	3	*	18 - 23 Months	0	*
24 - 35 Months	3	*	24 - 35 Months	0	*
36 - 59 Months	8	*	36 - 59 Months	0	*
Total	18	*	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	1	*	6 - 11 Months	4	*
12 - 17 Months	0	*	12 - 17 Months	8	*
18 - 23 Months	0	*	18 - 23 Months	0	*
24 - 35 Months	0	*	24 - 35 Months	4	*
36 - 59 Months	0	*	36 - 59 Months	7	*
Total	1	*	Total	23	*

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

#### Tuolumne

#### Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: 124 Run Date: 4 / 4 / 12

	Anemia l	ndicators	3, 4)
		Anemia Low Hb/Hct	
	Number	%	Number
otal All Race/Ethnic Groups			
6 - 11 Months	17	*	
12 - 17 Months	26	*	
18 - 23 Months	11	*	
24 - 35 Months	31	*	
36 - 59 Months	56	*	
otal	141	18.4	

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Children Aged < 5 Years (2)

County: 056

Page:

Run Date:

125

4/4/12

	Anemia	Indicators	by Race/Ethnicity and Age (3, 4)		
	Number	Anemia Low Hb/Hct %		Number	Anemia Low Hb/Hct %
White, Not Hispanic			Asian		
6 - 11 Months	142	22.5	6 - 11 Months	5	*
12 - 17 Months	229	14.4	12 - 17 Months	10	*
18 - 23 Months	86	*	18 - 23 Months	1	*
24 - 35 Months	146	9.6	24 - 35 Months	9	*
36 - 59 Months	252	9.9	36 - 59 Months	14	*
Total	855	13.9	Total	39	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	13	*	6 - 11 Months	4	*
12 - 17 Months	24	*	12 - 17 Months	0	*
18 - 23 Months	6	*	18 - 23 Months	1	*
24 - 35 Months	20	*	24 - 35 Months	1	*
36 - 59 Months	37	*	36 - 59 Months	3	*
Total	100	16.0	Total	9	*
Hispanic			Filipino		
6 - 11 Months	2,007	15.4	6 - 11 Months	2	*
12 - 17 Months	2,751	10.3	12 - 17 Months	4	*
18 - 23 Months	1,132	9.7	18 - 23 Months	2	*
24 - 35 Months	2,249	9.3	24 - 35 Months	2	*
36 - 59 Months	4,270	6.3	36 - 59 Months	9	*
Total	12,409	9.5	Total	19	*
American Indian/Alaska Native			All Other		
6 - 11 Months	14	*	6 - 11 Months	347	13.8
12 - 17 Months	15	*	12 - 17 Months	353	10.5
18 - 23 Months	4	*	18 - 23 Months	120	13.3
24 - 35 Months	11	*	24 - 35 Months	298	7.0
36 - 59 Months	17	*	36 - 59 Months	566	4.9
Total	61	*	Total	1,684	8.9



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page:

Run Date:

126

4/4/12

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups	Number	/0
6 - 11 Months	2,534	15.6
12 - 17 Months	3,386	10.5
18 - 23 Months	1,352 2,736	10.4 9.1
24 - 35 Months 36 - 59 Months	5,168	6.4
Total	15,176	9.7

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page:

Run Date:

127

4/4/12

County: 057

	Anemia	Indicators	Race/Ethnicity and Age <sup>(3,</sup>	4)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	50	*	6 - 11 Months	2	*
12 - 17 Months	65	*	12 - 17 Months	3	*
18 - 23 Months	33	*	18 - 23 Months	3	*
24 - 35 Months	77	*	24 - 35 Months	2	*
36 - 59 Months	155	6.5	36 - 59 Months	8	*
Total	380	13.7	Total	18	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	2	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	6	*	18 - 23 Months	1	*
24 - 35 Months	5	*	24 - 35 Months	0	*
36 - 59 Months	9	*	36 - 59 Months	0	*
Total	25	*	Total	1	*
Hispanic			Filipino		
6 - 11 Months	219	17.4	6 - 11 Months	1	*
12 - 17 Months	212	21.2	12 - 17 Months	0	*
18 - 23 Months	141	9.9	18 - 23 Months	0	*
24 - 35 Months	310	14.8	24 - 35 Months	0	*
36 - 59 Months	543	6.8	36 - 59 Months	0	*
Total	1,425	12.6	Total	1	*
American Indian/Alaska Native			All Other		
6 - 11 Months	7	*	6 - 11 Months	56	*
12 - 17 Months	1	*	12 - 17 Months	51	*
18 - 23 Months	0	*	18 - 23 Months	39	*
24 - 35 Months	2	*	24 - 35 Months	66	*
36 - 59 Months	5	*	36 - 59 Months	113	12.4
Total	15	*	Total	325	13.2



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Yolo

Page:

Run Date:

128

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	337	16.0
12 - 17 Months	335	21.2
18 - 23 Months	223	13.5
24 - 35 Months	462	15.2
36 - 59 Months	833	7.7
Total	2,190	13.2

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

Page:

Run Date:

129

4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators	y Race/Ethnicity and Age <sup>(3,</sup>	4)	
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian		
6 - 11 Months	87	*	6 - 11 Months	15	*
12 - 17 Months	102	18.6	12 - 17 Months	22	*
18 - 23 Months	46	*	18 - 23 Months	4	*
24 - 35 Months	110	8.2	24 - 35 Months	9	*
36 - 59 Months	200	4.0	36 - 59 Months	28	*
Total	545	10.6	Total	78	*
Black, Not Hispanic			Pacific Islander		
6 - 11 Months	1	*	6 - 11 Months	0	*
12 - 17 Months	3	*	12 - 17 Months	0	*
18 - 23 Months	1	*	18 - 23 Months	1	*
24 - 35 Months	7	*	24 - 35 Months	0	*
36 - 59 Months	11	*	36 - 59 Months	1	*
Total	23	*	Total	2	*
Hispanic			Filipino		
6 - 11 Months	82	*	6 - 11 Months	0	*
12 - 17 Months	119	16.8	12 - 17 Months	0	*
18 - 23 Months	57	*	18 - 23 Months	0	*
24 - 35 Months	117	17.1	24 - 35 Months	0	*
36 - 59 Months	201	10.9	36 - 59 Months	0	*
Total	576	15.3	Total	0	*
American Indian/Alaska Native			All Other		
6 - 11 Months	0	*	6 - 11 Months	15	*
12 - 17 Months	0	*	12 - 17 Months	20	*
18 - 23 Months	1	*	18 - 23 Months	10	*
24 - 35 Months	3	*	24 - 35 Months	12	*
36 - 59 Months	1	*	36 - 59 Months	38	*
Total	5	*	Total	95	*



<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

<sup>\*</sup> Percentages are not calculated if < 100 records are available for analysis after exclusions.

Yuba

Page: 130 Run Date: 4/4/12

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

	Anemia	Indicators
	Number	Anemia Low Hb/Hct %
Total All Race/Ethnic Groups		
6 - 11 Months	200	17.0
12 - 17 Months	266	17.3
18 - 23 Months	120	17.5
24 - 35 Months	258	14.7
36 - 59 Months	480	7.9
Total	1,324	13.4

<sup>(4)</sup> Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





<sup>(1)</sup> Reporting period is January 1 through December 31.

<sup>(2)</sup> Analyses based on one record per child.

<sup>(3)</sup> Excludes records with unknown data or errors.